


LATCH KIT **MODEL 1108-1129-18**


Kit components are **ALSO** sold separately:

LATCH GUIDE **MODEL 1108-1129-18-1**



LATCH PIN **MODEL 1108-1129-18-2**

1108-1129-18-2
Gravity Latch Pin
(supplied w/ 1110-4526-SS
Split Roll Pin inserted)


Install Latch Pin into
Latch Guide **BEFORE**
welding to Twistlock.



FITS: BUFFERS 1101-1129 & 1101-3539 SCREWDOWN TWISTLOCKS **1129-18 KIT WEIGHT:** 0.25 LB
1129-18-1 MATERIAL: CAST STEEL **1129-18-1 FINISH:** PRIMER **1129-18-1 WEIGHT:** 0.15 LB
1129-18-2 MATERIAL: STAINLESS STEEL **1129-18-2 FINISH:** SELF-COLOR **1129-18-2 WEIGHT:** 0.1 LB



1108-1130-18-LH




1108-1130-18-RH

MODEL 1108-1130-18-LH

MODEL 1108-1130-18-RH



FITS: DURALOC 1101-1130 TWISTLOCK
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.26 LB

MODEL 1108-1130SA-18





FITS: DURALOC 1101-1130SA TWISTLOCK
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.1 LB

MODEL 1108-1131-18



FITS: BUFFERS 1101-1131-L/R, 1101-1133-R/NR, 1101-1187-R/NR, 1101-1206-L/R & 1101-1423-R/NR TWISTLOCKS
MATERIAL: FAB. STEEL **FINISH:** PRIMER **WEIGHT:** 0.6 LBS


MODEL 1108-1175-18



PATENT PROTECTED:
 U.S. Patent #6,050,762


FITS: BUFFERS 1103-1175 PINLOCK **MATERIAL:** CAST STEEL
FINISH: PRIMER **WEIGHT:** 0.5 LBS

MODEL 1108-1207-18



SUB FOR: PENZ 25-38
FITS: BUFFERS 1101-1207-L/R, 1101-3206-L/R, 1101-3207-L/R, 1101-3406-L/R & 1101-3407-L/R TWISTLOCKS
MATERIAL: FAB. STEEL **FINISH:** PRIMER
WEIGHT: 0.23 LBS


MODEL 1108-1213-18



FITS: BUFFERS 1103-1213-L/R & 1103-1318-L/R PINLOCKS
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED or HOT-DIP GALVANIZED (-HDG) **WEIGHT:** 0.32 LBS

MODEL 1108-1224-2L MODEL 1108-1224-2R

LATCHES*




MODEL 1108-1224-2R is shown dimensioned;
MODEL 1108-1224-2L is the mirror opposite.

SUB FOR: PENZ 25-09-XX **WORKS WITH:** 1108-1224-TAB
FITS: MOST DROP-IN TWISTLOCKS **MATERIAL:** FAB. STEEL
FINISH: ZINC-PLATED **WEIGHT:** 0.19 LBS / 0.09 Kg

MODEL 1108-1224-TAB


LATCH TAB*




SUB FOR: PENZ 25-02/H **WORKS WITH:**
1108-1224L/R & 1108-1225-L/R LATCHES,
1110-4541 HEX BOLT & 1110-4542 HEX NUT
MATERIAL: STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.13 LBS / 0.06 Kg

EXAMPLE INSTALLATION SHOWN


Place Latch as close as possible to Twistlock for best Handle grip.



ASSEMBLY VIEW (1224-2L shown)



LATCHES, TABS,
BOLTS & NUTS
ARE SOLD
SEPARATELY.*




MODEL 1108-1225-2R is shown dimensioned above;
MODEL 1108-1225-2L is the mirror opposite.

SUB FOR: PENZ 25-13-XX **WORKS WITH:** 1108-1224-TAB
FITS: MOST DROP-IN TWISTLOCKS **MATERIAL:** FAB. STEEL
FINISH: ZINC-PLATED **WEIGHT:** 0.24 LBS / 0.11 Kg

MODEL 1108-1225-2L MODEL 1108-1225-2R

LATCHES*



ASSEMBLY VIEW (1225-2L shown)



LATCHES, TABS,
BOLTS & NUTS
ARE SOLD
SEPARATELY.*

MODEL 1108-1268

for West Lake ML-90 Pinlocks





SUB FOR: PENZ 25-58, WEST LAKE 1304
FITS: WEST LAKE ML-90-2/3 PINLOCKS
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.47 LBS


MODEL 1108-1271-L

MODEL 1108-1271-R

for West Lake ML-85 Twistlocks





MODEL 1108-1271-L



MODEL 1108-1271-R

SUB FOR: WEST LAKE 1223
FITS: WEST LAKE ML-85-2/3, ML-85-4/5 TWISTLOCKS
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.3 LBS


MODEL 1108-1345



SUB FOR: PENZ 25-06
FITS: BUFFERS 1101-3606-L/R, 1101-3606-LP-L/R, 1101-3706-L/R, 1101-3707-L/R; SCHULZ F33, F33NS; PENZ 90-05, 90-05/A & 90-06 TWISTLOCKS
MATERIAL: CAST STEEL **FINISH:** PRIMER
WEIGHT: 0.84 LBS

MODEL 1108-1347


for Bertolini chassis



SUB FOR: PENZ 25-01
FOR USE ON: BERTOLINI CHASSIS
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.25 LBS

MODEL 1108-1348


GRAVITY LATCH



SUB FOR: PENZ 25-03
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.26 LBS


MODEL 1108-1349

LATCH TAB



SUB FOR: PENZ 25-02 & 25-04
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.13 LBS


MODEL 1108-1350



SUB FOR: PENZ 25-11
FITS: BUFFERS 1103-1624 & SCHULZ FB88HL PINLOCKS
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.32 LBS

MODEL 1108-1404

Non-handed




SUB FOR: PENZ 25-05
FITS: PENZ 90-01-XX & SCHULZ FB55HL PINLOCKS
MATERIAL: CAST STEEL **FINISH:** PRIMER
WEIGHT: 1.9 LBS



SAFETY LATCHES, TAB & BRACKET

for PINLOCKS & TWISTLOCKS
CHASSIS | FLATBED TRAILERS

MODEL 1108-1417-18



Non-handed

SUB FOR: PENZ 25-16


FITS: BUFFERS 1103-1417-L/R, 1103-1517-L/R, 1103-1617-L/R & PENZ 90-19-XX, 90-19/H-XX, 90-20-XX, 90-20/CR-XX, 90-29-XX, 90-40-XX PINLOCKS

MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED

WEIGHT: 0.17 LBS

MODEL 1108-1468

LATCH TAB
U-shape





SUB FOR: PENZ 25-27-A

WORKS WITH: BUFFERS 1108-2851 LATCH ASSEMBLY

MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED

WEIGHT: 0.17 LBS

MODEL 1108-1465




SUB FOR: PENZ 25-21 **FITS:** PENZ 90-30, 90-30/A, 90-32, 90-32ABS, 90-32C-XX, 90-32CABS-XX & SCHULZ JL85-1, JL85-2, JL85-4 TWISTLOCKS

MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED

WEIGHT: 0.38 LBS

MODEL 1108-1568




SUB FOR: PENZ 25-10-HD **FITS:** PENZ 90-14HDC-XX, 90-26-XX, 90-26-ST-XX, 90-31-XX PINLOCKS **MATERIAL:** FAB. STEEL **FINISH:** ZINC-PLATED **WEIGHT:** 0.35 LBS

SPECIAL ORDER ONLY

MODEL 1108-1624-10

LATCH BRACKET
for Pinlock Housing



FITS: BUFFERS 1108-1624-L/R, PENZ 90-14/HDC-XX & 90-26-XX, SCHULZ FB88HL-XX PINLOCKS

MATERIAL: CAST STEEL **FINISH:** PRIMER

WEIGHT: 0.23 LBS / 0.1 Kg



SAFETY LATCHES




for PINLOCKS & TWISTLOCKS

CHASSIS | FLATBED TRAILERS

MODEL 1108-1633 LATCH

MODEL 1108-1633-1 LATCH w/ WELDED SHAFT



*These parts are **SOLD SEPARATELY**



MODEL 1108-1633 LATCH*

MODEL 1108-1633-1 LATCH w/ SHAFT* (one end welded to latch)

1633 SUB FOR: PENZ 25-15-2 **1633-1 SUB FOR:** PENZ 25-15-1
FITS: PENZ 90-07, 90-11, 90-12, 90-16, 90-17 & 90-18 TWISTLOCKS
MATERIAL: FAB. STEEL **FINISH:** PRIMER
1633 WEIGHT: 0.3 LBS **1633-1 WEIGHT:** 0.6 LBS




MODEL 1108-1642-17 LATCH BRACKET


MODEL 1108-1642-17-KIT

LATCH BRACKET KIT

Includes: 1110-4542 Nut & 1110-4637-G5 Bolt



Fits older Buffers 1642 Pinlocks w/ open Latch area





Install w/ 1 ea. 1110-4637-G5 Latch Bolt & 1110-4542 Hex Nut to hold the Latch Bracket in place.

FITS: BUFFERS 1103-1642 PINLOCK
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
BRACKET WEIGHT: 1.33 LBS **KIT WEIGHT:** 1.37 LBS


MODEL 1108-1642-18

Non-handed




FITS: BUFFERS 1103-1642 PINLOCK
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.45 LBS

MODEL 1108-1665




SUB FOR: PENZ 25-29
FITS: SCHULZ FB44HL PINLOCK
MATERIAL: FAB. STEEL **FINISH:** PRIMER
WEIGHT: 0.7 LBS

MODEL 1108-1770



SUB FOR: PENZ 25-10
FITS: PENZ 90-14 PINLOCK **MATERIAL:** FAB. STEEL
FINISH: ZINC-PLATED **WEIGHT:** 0.31 LBS


MODEL 1108-1849



SUB FOR: PENZ 25-07
FOR USE ON: STRICK CHASSIS
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.37 LBS

MODEL 1108-1917-18

Non-handed



SUB FOR: J.B. HUNT 18663
FITS: BUFFERS 1103-1917-L/R PINLOCKS
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.07 LBS



SPECIAL ORDER ONLY

MODEL 1108-1785-L


SPECIAL ORDER ONLY

MODEL 1108-1785-R

for Drop-In Twistlock




Model 1108-1785-L is shown dimensioned.
 Model 1108-1785-R is the mirror opposite.



SUB FOR: PENZ 25-20-XX
FOR USE ON: THEURER CB-4992 CHASSIS
MATERIAL: CAST STEEL **FINISH:** PRIMER
WEIGHT: 0.63 LBS


MODEL 1108-2049



SUB FOR: PENZ 25-08
FOR USE ON: STRICK CHASSIS
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.4 LBS

MODEL 1108-2050

LATCH TAB



SUB FOR: PENZ 25-25 & 25-39A
FITS: BUFFERS 1108-2050-KIT & PENZ 25-39 LATCH ASSEMBLIES
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.1 LBS


MODEL 1108-2050-KIT

LATCH ASSEMBLY

Kit Includes:

1108-2050 Latch Tab
 1108-2055 Latch Safety Hook
 1110-4525-G5 Hex Bolt
 1110-4530 Hex Nut


Kit components are **ALSO** sold separately.



SUB FOR: PENZ 25-39
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.28 LBS



MODEL 1108-2055

GRAVITY LATCH





SUB FOR: PENZ 25-26 & 25-39-B
FITS: BUFFERS 1108-2050-KIT & PENZ 25-39 LATCH ASSEMBLIES
MATERIAL: FAB. STEEL
FINISH: ZINC-PLATED **WEIGHT:** 0.15 LBS

MODEL 1108-2143





FITS: SCHULZ FB55HL PINLOCK
MATERIAL: CAST STEEL **FINISH:** PRIMER
WEIGHT: 1.1 LBS

MODEL 1108-2145





FITS: CMCI 2106 TWISTLOCK **FOR USE ON:** SEACO CHASSIS
WORKS WITH: BUFFERS 1105-2144 PIN & 1107-2146-L/R HANDLE
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.4 LBS

MODEL 1108-2449



FOR USE ON: HYUNDAI KOREA CHASSIS
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.57 LBS


MODEL 1108-2630



SUB FOR: PENZ 25-23
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.57 LBS


MODEL 1108-2848

BRACKET TAB/CLIP



SUB FOR: PENZ 25-19
WORKS WITH: LATCH UA-0814N
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.145 LBS


MODEL 1108-2870



SUB FOR: PENZ 25-34
FITS: PENZ 90-42-XX & 90-42LP-XX "HI-LOW" PINLOCKS
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.28 LBS

MODEL 1108-2922


LATCH TAB



MATERIAL: FAB. STEEL **FINISH:** PRIMER
WEIGHT: 0.14 LBS



MODEL 1108-2851

LATCH ASSEMBLY



1108-2851 LATCH ASSEMBLY includes:
 1108-1350 Latch (Penz 25-11)
 1108-1468 Latch Bracket (Penz 25-27-A)
 1110-4634 Split Roll Pin

Kit components are **ALSO** sold separately.



SUB FOR: PENZ 25-27 **FITS:** BUFFERS
 1103-1624 & SCHULZ FB88HL PINLOCKS
MATERIAL: FAB. STEEL **WEIGHT:** 0.5 LBS
LATCH & BRACKET FINISH: ZINC-PLATED




SAFETY LATCHES, PIN & TAB

for PINLOCKS & TWISTLOCKS
CHASSIS | FLATBED TRAILERS

MODEL 1108-2959-15


LATCH PIN for Height Extender Twistlock



FITS: BUFFERS 1101-2959 HEIGHT EXTENDER TWISTLOCK
WORKS WITH: BUFFERS 1107-2959-4 HANDLE & 1108-2959-18 LATCH TAB **MATERIAL:** CAST STEEL
FINISH: HOT-DIP GALVANIZED **WEIGHT:** 0.15 LBS / 0.07 Kg



MODEL 1108-2959-18

LATCH TAB for Height Extender Twistlock





FITS: BUFFERS 1101-2959 HEIGHT EXTENDER TWISTLOCK
WORKS WITH: BUFFERS 1107-2959-4 HANDLE & 1108-2959-15 LATCH PIN **MATERIAL:** CAST STEEL
FINISH: HOT-DIP GALVANIZED **WEIGHT:** 0.15 LBS / 0.07 Kg

MODEL 1108-3133-18-HDG



SUB FOR: OSHKOSH 10KP609 **FITS:** BUFFERS 1101-3133-R/NR, 1101-3137-R/NR, 1101-3190-R/NR, 1101-3423-R/NR, 1101-3533-R/NR & 1101-3590-R/NR TWISTLOCKS **MATERIAL:** CAST STEEL
FINISH: HOT-DIP GALVANIZED (-HDG) **WEIGHT:** 1.4 LBS

MODEL 1108-3151-18-P





FITS: BUFFERS 1101-3151 & 1101-3152 TWISTLOCKS
MATERIAL: CAST STEEL **FINISH:** PRIMER **WEIGHT:** 1 LB



SAFETY LATCHES

for TWISTLOCKS
CHASSIS | FLATBED TRAILERS



MODEL 1108-3187-18



FITS: BUFFERS 1101-1133-R/NR & 1101-3187-R/NR TWISTLOCKS
MATERIAL: CAST STEEL **FINISH:** PRIMER **WEIGHT:** 1.25 LBS

MODEL 1108-3529-18

for SCREWDOWN TWISTLOCKS
Retractable & Non-Retractable







FITS: BUFFERS 1101-3529-RS/NRS, 1101-3629-RS/NRS,
1101-3729-RS/NRS & 1101-3829-RS/NRS SCREWDOWN TWISTLOCKS
MATERIAL: CAST STEEL **FINISH:** PRIMER **WEIGHT:** 1.55 LBS



SAFETY LATCHES

for TWISTLOCKS

CHASSIS | FLATBED TRAILERS



1108-3600-HA-18-SL-SQ-KIT

LATCH ASSEMBLY for HEIGHT-ADJUSTABLE TWISTLOCKS
Buffers 1101-3600-HA series (newer style w/ Square T-Handle/Tube)


FITS: BUFFERS 1101-3600-HA SERIES TWISTLOCKS (newer style w/ square T-Handle/Tube)
WORKS WITH: BUFFERS 1107-3600-4-SQ T-HANDLE & 1107-3600-4-9-SQ EXTENSION TUBE
MATERIAL: STEEL **FINISH:** PRIMER **WEIGHT:** 2.18 LBS / 0.99 Kg

PATENT PROTECTED:
U.S. Patent #11,993,200

ITEM	MODEL	QTY.	DESCRIPTION	WEIGHT / EA.
1	1108-3600-HA-18-MB	1	Mounting Bracket, cast steel, zinc-plated	1.1 LBS / 0.5 Kg
2	1108-3600-HA-18-FL	1	Forked Latch, cast steel, HDG	0.77 LB / 0.35 Kg
3	1110-4791-SS	1	Hex Bolt, stainless steel	0.15 LB / 0.07 Kg
4	1110-4542-SS	1	Hex Nut w/ Nylon Insert, stainless steel	0.02 LB / 0.01 Kg
5	1108-4921-SS	1	Pull Pin Assembly, stainless steel	0.2 LB / 0.09 Kg
6	1110-4922	1	Set Screw, High Hold Cone Point	0.002 LB / 0.001 Kg

SAFETY LATCH

for 3600-HA-KIT HEIGHT-ADJUSTABLE &
RETRACTABLE TWISTLOCK (older design)
FLATBED TRAILERS




*IMPORTANT NOTICE

Please note that a latch such as 1108-3600-HA-18-SL is required to prevent accidental opening of the 1101-3600-HA-KIT model lock (older style w/ 112mm Pin Sleeve). Due to the various trailer designs and limited space around this type of lock, Buffers can only offer latch assemblies that the lock installer needs to weld in place on the housing that fits each individual application.

See Catalog page 1101-40 for the 1101-3600-HA-KIT Twistlock Assembly (older/discontinued design).


MODEL 1108-3600-HA-18-SL


SWING LATCH ASSEMBLY* for
1101-3600-HA-KIT Height-Adjustable Twistlock
(ONLY fits model WITHOUT extension tube)



ITEM #	QTY.	PART #	DESCRIPTION	MATERIAL / FINISH
1	1	1101-3600-HA-18-SL-A	HINGE BRACKET	CAST STEEL / WELDABLE PRIMER
2	1	1101-3600-HA-18-SL-B	LATCH LEG	CAST STEEL / HDG
3	1	1110-4792-SS	PULL PIN	STAINLESS STEEL / SELF-COLOR
4	1	1110-4511	HEX NUT	STD. CARBON STEEL w/ Nylon Insert / ZINC-PLATED
5	1	1110-4791-SS	HEX BOLT	STAINLESS STEEL / SELF-COLOR
6	1	1110-4542-SS	HEX NUT	STAINLESS STEEL w/ Nylon Insert / SELF-COLOR

SWING LATCH ASSEMBLY shown mounted on the 1101-3600-HA-KIT Twistlock WITHOUT extension tube* (sold separately):





SPECIAL ORDER ONLY


MODEL 1108-3633-18

MODEL 1108-3633-18-HDG

LATCH for RETRACTABLE TWISTLOCKS

Buffers 3100, 3500, 3600, 3700, 3800 & 3900 series


FITS: BUFFERS 1101-3133, 1101-3137, 1101-3189, 1101-3190, 1101-3423, 1101-3523, 1101-3533, 1101-3590, 1101-3623, 1101-3633, 1101-3637, 1101-3690, 1101-3693, 1101-3733, 1101-3837, 1101-3843 & 1101-3943
TWISTLOCKS MATERIAL: CAST STEEL
FINISH: PRIMER or HOT-DIP
GALVANIZED (-HDG) WEIGHT: 1.38 LBS



MODEL 1108-3633-18-KIT-HDG

LATCH KIT for 3633-R-HDG Twistlock includes:

1 ea. 1108-3633-18-HDG Latch, 1110-3533-19 Latch Spring, 1110-4542-SS Hex Nut & 1110-4641 Hex Bolt





MODEL 1108-3634-18

LATCH for NON-RETRACTABLE TWISTLOCKS

Buffers 3500 & 3600 series

FITS: BUFFERS 1101-3524-NR, 1101-3534-NR, 1101-3541-NR, 1101-3593-NR, 1101-3594-NR, 1101-3624-NR & 1101-3634-NR TWISTLOCKS
MATERIAL: CAST STEEL **FINISH:** PRIMER **WEIGHT:** 1.34 LBS





MODEL 1108-3817-18

LATCH for NON-RETRACTABLE TWISTLOCKS

Buffers 3817-L/R w/ Light Holes

FITS: BUFFERS 1101-3817-L/R NON-RETRACTABLE TWISTLOCKS w/ LIGHT HOLES **MATERIAL:** CAST STEEL
FINISH: WELDABLE RED PRIMER **WEIGHT:** 0.37 LBS





MODEL 1108-6307-L

MODEL 1108-6307-R


LATCH for 1642-L/R PINLOCKS

Special repair to 1642-18 Latch
due to broken stanchion

MODEL
1108-6307-L

MODEL
1108-6307-R

FITS: BUFFERS 1103-1642 PINLOCK
(when replacing broken stanchion on 1108-1642-18 Latch)
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT (ea.): 0.24 LB





MODEL 1108-6368-KIT

LATCH ASSEMBLY

1108-6368-KIT is **ONLY** sold assembled.

Latch & Pin are **NOT** sold separately; Cotter Pin & Washer **ARE** sold separately.

SUB FOR: HOLLAND REPAIR KIT GL-726-099-199 **FITS:** HOLLAND NON-RETRACTABLE GL-726-099-195-F
& RETRACTABLE GL-726-099-196 TWISTLOCKS **6368 MATERIAL:** CAST STEEL **6368 FINISH:** PRIMER
4666 MATERIAL: FORGED STEEL **4666 FINISH:** ZINC-PLATED **4512 MATERIAL:** STEEL **4512 FINISH:** ZINC-PLATED
4513-SS MATERIAL: STAINLESS STEEL **4513-SS FINISH:** MILLED **6368-KIT WEIGHT:** 2.54 LBS



MODEL 1108-7354


SUB FOR: PENZ 25-17
MATERIAL: FAB. STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.39 LBS



SAFETY LATCHES

for DROP-IN TWISTLOCKS

CHASSIS



1110-4729-G5 Hex Bolt
3/8"-16 x 3/4", Grade 5

1108-9033-1A Latch Tab


1108-9033-1B
Threaded Sleeve, 3/8"-16
(welded to Latch Tab)

3/16"
5 MM


1108-9033-2
Latch

3/4"
19 MM

NOTE: Kit components are **NOT** sold separately.



Hole for
Security Seal





1-3/4"
44.5 MM

See BUI Drawing 9033-INSTALL for detailed
installation instructions (contact Sales Team).

MODEL 1108-9033

LATCH ASSEMBLY
for 1102-1690-L/R
Drop-In Twistlocks



WORKS WITH: 1102-1690-L/R DROP-IN TWISTLOCKS
FOR USE ON: BOLSTERS w/ up to 3/8" TOP PLATE THICKNESS
MATERIAL: STEEL **FINISH:** ZINC-PLATED **WEIGHT:** 0.22 LB / 0.1 Kg