





MODELS 1404-6241 & 1404-6243
3-SIDED DOOR GASKET



MODELS 1404-6242 & 1404-6244
4-SIDED DOOR GASKET



PROFILE **A**



PROFILE **B**



MODEL	DESCRIPTION	GASKET INSIDE WIDTH	GASKET INSIDE HEIGHT	WEIGHT
MODEL 1404-6241	3-SIDED FOR 9' 6" CONTAINER	44" FOR 45" WIDTH DOOR	99" FOR 101" HEIGHT DOOR	5 LBS 2.27 Kg
MODEL 1404-6242	4-SIDED FOR 9' 6" CONTAINER	44" FOR 45" WIDTH DOOR	99" FOR 101" HEIGHT DOOR	7.75 LBS 3.52 Kg
MODEL 1404-6243	3-SIDED FOR 8' 6" CONTAINER	44" FOR 45" WIDTH DOOR	87" FOR 88.6" HEIGHT DOOR	5.7 LBS 2.59 Kg
MODEL 1404-6244	4-SIDED FOR 8' 6" CONTAINER	44" FOR 45" WIDTH DOOR	87" FOR 88.6" HEIGHT DOOR	7.95 LBS 3.61 Kg



DOOR GASKET ASSEMBLIES



for 48' & 53' x 102" CONTAINERS w/
107" & 110" DOOR HEIGHT OPENING
DOMCON CONTAINERS

MODELS 1404-6251 & 1404-6261
3-SIDED DOOR GASKET



PROFILE **A**

MODELS 1404-6252 & 1404-6262
4-SIDED DOOR GASKET



PROFILE **B**

MODELS 1404-6251 & 1404-6252 FIT: CSX 48' x 107" H, PACER 48', 53' x 107" H
MODELS 1404-6261 & 1404-6262 FIT: J.B. HUNT, CSX, PACER 53' x 110" H

MODEL	DESCRIPTION	GASKET INSIDE WIDTH	GASKET INSIDE HEIGHT	WEIGHT
MODEL 1404-6251	3-SIDED FOR 107" DOOR OPENING	47-1/4"	104"	7.05 LBS 3.2 Kg
MODEL 1404-6252	4-SIDED FOR 107" DOOR OPENING	47-7/16"	104"	10.65 LBS 4.83 Kg
MODEL 1404-6261	3-SIDED FOR 110" DOOR OPENING	47-1/4"	106-11/16"	7.3 LBS 3.31 Kg
MODEL 1404-6262	4-SIDED FOR 110" DOOR OPENING	47-7/16"	106-11/16"	11.5 LBS 5.22 Kg

BUFFERS USA INC

"The Intermodal Hardware Specialists"

1404-6



904-696-0010

E-mail: sales@buffersusa.com





DOOR GASKET ASSEMBLIES

for 45' x 102" CONTAINERS w/
110" DOOR HEIGHT OPENING



DOMCON CONTAINERS

MODEL 1404-6263
3-SIDED DOOR GASKET



PROFILE **A**

MODEL 1404-6264
4-SIDED DOOR GASKET



PROFILE **B**

MODELS 1404-6263 & 1404-6264 FIT: CROWLEY 45' x 102" w/ 110" Door Opening


MODEL	DESCRIPTION	GASKET INSIDE WIDTH	GASKET INSIDE HEIGHT	WEIGHT
MODEL 1404-6263	3-SIDED FOR 110" DOOR OPENING	48"	105-5/8"	7 LBS 3.18 Kg
MODEL 1404-6264	4-SIDED FOR 110" DOOR OPENING	48"	105-5/8"	10.45 LBS 4.74 Kg




DOOR GASKET ASSEMBLIES

for 9'6" x 96"
REEFER CONTAINERS


MODEL 1404-6247
THERMAL DOOR GASKET
INNER, LEFT



MODEL 1404-6248
THERMAL DOOR GASKET
INNER, RIGHT




MODEL 1404-6247-A



PROFILE **A**

MODEL 1404-6247-B



PROFILE **B**

MODELS 1404-6247 & 1404-6248 FIT: MAERSK MCIQ 40'

MODEL	DESCRIPTION	GASKET INSIDE WIDTH	GASKET INSIDE HEIGHT	WEIGHT
MODEL 1404-6247	4-SIDED THERMAL DOOR GASKET (LEFT) SUB FOR: MAERSK 7813629	43-1/16"	98-1/8"	3.6 LBS 1.6 Kg
MODEL 1404-6248	4-SIDED THERMAL DOOR GASKET (RIGHT) SUB FOR: MAERSK 7813478	43-1/16"	98-1/8"	4 LBS 1.8 Kg

BUFFERS USA INC

"The Intermodal Hardware Specialists"

1404-8



904-696-0010

E-mail: sales@buffersusa.com

6/17/21




DOOR GASKET ASSEMBLIES


for 8'6" & 9'6" x 96" CIMC

REEFER CONTAINERS


MODEL 1404-8861-L (8' 6")
MODEL 1404-6822-L (9' 6")
 THERMAL DOOR GASKET
 INNER, LEFT



MODEL 1404-8861-R (8' 6")
MODEL 1404-6822-R (9' 6")
 THERMAL DOOR GASKET
 INNER, RIGHT




MODEL 1404-6841



PROFILE **A**

MODEL 1404-6842



PROFILE **B**

MODEL	DESCRIPTION	GASKET INSIDE WIDTH	GASKET INSIDE HEIGHT	WEIGHT
MODEL 1404-8861-L FOR 8'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (LEFT) SUB FOR: CIMC	42" (1,066 MM) for 42-7/8" (1,088 MM) DOOR	84-3/4" (2,150 MM) for 87-7/16" (2,220 MM) DOOR	6.85 LBS 3.1 Kg
MODEL 1404-8861-R FOR 8'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (RIGHT) SUB FOR: CIMC	42" (1,066 MM) for 42-7/8" (1,088 MM) DOOR	84-3/4" (2,150 MM) for 87-7/16" (2,220 MM) DOOR	7.05 LBS 3.2 Kg
MODEL 1404-6822-L FOR 9'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (LEFT) SUB FOR: CIMC 06-005-L	41-3/4" (1,060 MM) for 43-5/8" (1,108 MM) DOOR	95-3/4" (2,430 MM) for 99-7/16" (2,526 MM) DOOR	7.3 LBS 3.3 Kg
MODEL 1404-6822-R FOR 9'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (RIGHT) SUB FOR: CIMC 06-005-R	41-3/4" (1,060 MM) for 43-5/8" (1,108 MM) DOOR	95-3/4" (2,430 MM) for 99-7/16" (2,526 MM) DOOR	7.65 LBS 3.47 Kg

BUFFERS USA INC

"The Intermodal Hardware Specialists"

1404-9



904-696-0010


E-mail: sales@buffersusa.com





DOOR GASKET ASSEMBLIES

for 8'6" & 9'6" x 96"
REEFER CONTAINERS


MODEL 1404-6830-L (8' 6")
MODEL 1404-6831-L (9' 6")
DOOR GASKET, INNER, LEFT



MODEL 1404-6830-R (8' 6")
MODEL 1404-6831-R (9' 6")
DOOR GASKET, INNER, RIGHT



PROFILE **A**



PROFILE **B**

MODELS 1404-6830 & 1404-6831 FIT: CIMC 40' REEFER

MODEL	DESCRIPTION	GASKET INSIDE WIDTH	GASKET INSIDE HEIGHT	WEIGHT
MODEL 1404-6830-L FOR 8'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (LEFT) SUB FOR: CIMC 06-002-L	43-1/8" (1,095 MM) for 44" (1,117 MM) DOOR	85" (2,160 MM) for 87-11/16" (2,227 MM) DOOR	7.15 LBS 3.24 Kg
MODEL 1404-6830-R FOR 8'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (RIGHT) SUB FOR: CIMC 06-002-R	43-1/8" (1,095 MM) for 44" (1,117 MM) DOOR	85" (2,160 MM) for 87-11/16" (2,227 MM) DOOR	8.65 LBS 3.92 Kg
MODEL 1404-6831-L FOR 9'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (LEFT) SUB FOR: CIMC 06-001-L	43-1/8" (1,095 MM) for 44" (1,117 MM) DOOR	96-5/8" (2,455 MM) for 99-5/8" (2,532 MM) DOOR	7.6 LBS 3.45 Kg
MODEL 1404-6831-R FOR 9'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (RIGHT) SUB FOR: CIMC 06-001-R	43-1/8" (1,095 MM) for 44" (1,117 MM) DOOR	96-5/8" (2,455 MM) for 99-5/8" (2,532 MM) DOOR	9.45 LBS 4.29 Kg




DOOR GASKET ASSEMBLIES


for 8'6" & 9'6" x 96"

REEFER CONTAINERS


MODEL 1404-6832-L (8' 6")
MODEL 1404-6833-L (9' 6")
DOOR GASKET, INNER, LEFT



MODEL 1404-6832-R (8' 6")
MODEL 1404-6833-R (9' 6")
DOOR GASKET, INNER, RIGHT




MODEL 1404-6843



PROFILE **A**

MODEL 1404-6847



PROFILE **B**

MODELS 1404-6832 & 1404-6833 FIT: CIMC 40' REEFER

MODEL	DESCRIPTION	GASKET INSIDE WIDTH	GASKET INSIDE HEIGHT	WEIGHT
MODEL 1404-6832-L FOR 8'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (LEFT) SUB FOR: CIMC 06-004-L	41-3/4" (1,060 MM) for 43-5/8" (1,108 MM) DOOR	81-5/16" (2,065 MM) for 87-7/16" (2,220 MM) DOOR	3.65 LBS 1.65 Kg
MODEL 1404-6832-R FOR 8'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (RIGHT) SUB FOR: CIMC 06-004-R	41-3/4" (1,060 MM) for 43-5/8" (1,108 MM) DOOR	81-5/16" (2,065 MM) for 87-7/16" (2,220 MM) DOOR	3.85 LBS 1.75 Kg
MODEL 1404-6833-L FOR 9'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (LEFT) SUB FOR: CIMC 06-003-L	41-3/4" (1,060 MM) for 43-5/8" (1,108 MM) DOOR	92-15/16" (2,360 MM) for 99-7/16" (2,526 MM) DOOR	3.8 LBS 1.72 Kg
MODEL 1404-6833-R FOR 9'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (RIGHT) SUB FOR: CIMC 06-003-R	41-3/4" (1,060 MM) for 43-5/8" (1,108 MM) DOOR	92-15/16" (2,360 MM) for 99-7/16" (2,526 MM) DOOR	4.05 LBS 1.84 Kg

BUFFERS USA INC

"The Intermodal Hardware Specialists"

1404-11



904-696-0010

E-mail: sales@buffersusa.com

6/18/21




DOOR GASKET ASSEMBLIES



for 8'6" & 9'6" x 96"

REEFER CONTAINERS


MODEL 1404-8954-L (8'6")
MODEL 1404-8955-L (9'6")
DOOR GASKET, Combo Design Inner & Outer, Left




MODEL 1404-8954-R (8'6")
MODEL 1404-8955-R (9'6")
DOOR GASKET, Combo Design Inner & Outer, Right



PROFILE **A**



PROFILE **B**



PROFILE **C**

MODELS 1404-8954-L/R & 1404-8955-L/R FIT: CIMC 40' REEFER

MODEL	DESCRIPTION	GASKET INSIDE WIDTH	GASKET INSIDE HEIGHT	WEIGHT
MODEL 1404-8954-L FOR 8'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (LEFT) w/ flat center gasket SUB FOR: CIMC 06-033-L	43-1/8" / 1,095.4 MM	85" / 2,159 MM	6.68 LBS 3 Kg
MODEL 1404-8954-R FOR 8'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (RIGHT) SUB FOR: CIMC 06-033-R	43-1/8" / 1,095.4 MM	85" / 2,159 MM	9 LBS 4.1 Kg
MODEL 1404-8955-L FOR 9'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (LEFT) SUB FOR: CIMC 06-034-L	43-1/8" / 1,095.4 MM	96-5/8" / 2,454.3 MM	7.4 LBS 3.4 Kg
MODEL 1404-8955-R FOR 9'6" HEIGHT CONTAINERS	4-SIDED THERMAL DOOR GASKET (RIGHT) SUB FOR: CIMC 06-034-R	43-1/8" / 1,095.4 MM	96-5/8" / 2,454.3 MM	10 LBS 4.5 Kg

BUFFERS USA INC

"The Intermodal Hardware Specialists"

1404-12




904-696-0010



E-mail: sales@buffersusa.com

6/18/21


MODEL 1404-6933
3-SIDED OUTER DOOR GASKET




MODEL 1404-6934
4-SIDED OUTER DOOR GASKET



PROFILE **A**



PROFILE **B**




PROFILE **C**



MODELS 1404-6933 & 1404-6934
SUB FOR: MAERSK 7813100 FIT: 40' MCIQ REEFER

MODEL	DESCRIPTION	GASKET INSIDE WIDTH	GASKET INSIDE HEIGHT	WEIGHT
MODEL 1404-6933	3-SIDED FOR 9' 6" CONTAINER	44" FOR 45" WIDTH DOOR	99" FOR 101" HEIGHT DOOR	5.8 LBS 2.6 Kg
MODEL 1404-6934	4-SIDED FOR 9' 6" CONTAINER	44" FOR 45" WIDTH DOOR	99" FOR 101" HEIGHT DOOR	9.3 LBS 4.2 Kg


MODEL 1404-6935
3-SIDED OUTER
DOOR GASKET




MODEL 1404-6936
4-SIDED OUTER
DOOR GASKET
w/ wide corners




DETAIL D




DETAIL E



PROFILE A



PROFILE B



PROFILE C

MODELS 1404-6935 & 1404-6936
SUB FOR: MAERSK 7813151 FIT: 40' MCIQ REEFER

MODEL	DESCRIPTION	GASKET INSIDE WIDTH	GASKET INSIDE HEIGHT	WEIGHT
MODEL 1404-6935	3-SIDED FOR 9'6" CONTAINER	44" FOR 45" WIDTH DOOR	99" FOR 101" HEIGHT DOOR	5.5 LBS 2.5 Kg
MODEL 1404-6936	4-SIDED FOR 9'6" CONTAINER w/ wide corners	44" FOR 45" WIDTH DOOR	99" FOR 101" HEIGHT DOOR	8.2 LBS 3.7 Kg