


MODEL 1208-6271


TOP SIDE RAIL
Rectangular Tubing



6271 SUB FOR: JINDO AH0301-0761,
J.B. HUNT 31920 **FITS:** JINDO 53' x 102"
MATERIAL: CORTEN STEEL **FINISH:** PRIMER
LENGTH: 228" (19') / 5,791 MM
WEIGHT: 62 LBS / 28.12 Kg

MODEL 1208-8977


TOP SIDE RAIL
Front Section (L/R)
Square Tubing



SUB FOR: SINGAMAS 53-305001
FITS: SINGAMAS 53' / HUB
LENGTH: 71" (5' 11") / 1,803 MM
MATERIAL: CORTEN STEEL
FINISH: WELDABLE PRIMER
WEIGHT: 16.1 LBS / 7.3 Kg

MODEL 1208-9000

TOP SIDE RAIL
for Singamas 53'
Main, 18' 8" long



SUB FOR: SINGAMAS NS53-500001
FITS: SINGAMAS 53'
LENGTH: 224-7/16" (18' 8-7/16") / 5,700 MM
MATERIAL: CORTEN STEEL **FINISH:** PRIMER
WEIGHT: 118.6 LBS / 53.8 Kg

MODEL 1208-6160
MODEL 1208-6162

TOP RAIL, Flat Bar

FITS: 96" ISO
LENGTH: 20' / 6,096 MM
MATERIAL: FAB. STEEL
FINISH: SELF-COLOR

1208-6160
WEIGHT: 67 LBS / 30.4 Kg

1208-6162
WEIGHT: 83 LBS / 37.7 Kg

MODEL 1208-2134

TOP RAIL
Square Tubing

FITS: 96" ISO
MATERIAL: CORTEN STEEL
FINISH: PRIMER
LENGTH: 18' 8" / 5,700 MM
WEIGHT: 65.1 LBS / 29.52 Kg

MODEL 1208-2191



TOP RAIL
Inner, U-shape

SUB FOR: CIMC D09-03
FITS: MAERSK DRY ISO
LENGTH: 94-1/2" / 2,400 MM
MATERIAL: CORTEN STEEL
FINISH: PRIMER
WEIGHT: 22.84 LBS / 10.6 Kg

MODEL 1208-2192

TOP RAIL
Outer, W-shape

SUB FOR: CIMC D09-04
FITS: MAERSK DRY ISO
LENGTH: 94-1/2" / 2,400 MM
MATERIAL: CORTEN STEEL
FINISH: PRIMER
WEIGHT: 26.8 LBS / 12.16 Kg



MODEL 1208-6220-19
TOP RAIL

SUB FOR: MAERSK 7460029, CIMC 11-002 & SA01-C204-C0
FITS: 40' HC REEFER
LENGTH: 8' 8-1/2" / 5,702 MM
MATERIAL: CORTEN STEEL
FINISH: PRIMER
WEIGHT: 73 LBS / 33.1 Kg

MODEL 1208-7465
TOP RAIL

FITS: SINGAMAS 40' REEFER
LENGTH: 18' 8-1/2" / 5,702 MM
MATERIAL: CORTEN STEEL
FINISH: PRIMER
WEIGHT: 92.05 LBS / 41.75 Kg


MODEL 1208-7691
TOP RAIL

FITS: CIMC, SINGAMAS 40' HIGH CUBE REEFER
LENGTH: 19' / 5,791 MM
MATERIAL: CORTEN STEEL
FINISH: PRIMER
WEIGHT: 93.7 LBS / 42.5 Kg

MODEL 1208-7974
TOP RAIL


SUB FOR: MAERSK 285001
FITS: MAERSK TINGLEV 40' HIGH CUBE REEFER
LENGTH: 95-1/2" / 2,426 MM
MATERIAL: CORTEN STEEL
FINISH: PRIMER
WEIGHT: 38.7 LBS / 17.6 Kg






MODEL 1208-6207
BOTTOM SIDE RAIL

SUB FOR: JINDO I02317-4015
FITS: JINDO 48', 53' / CSX, HUB, PACER, SWIFT & CIMC HC53-04B-9 / CROWLEY
LENGTH: 19' / 5,791 MM
MATERIAL: CORTEN STEEL
FINISH: PRIMER
WEIGHT: 159.8 LBS / 72.5 Kg




MODEL 1208-6213
BOTTOM SIDE RAIL

SUB FOR: JINDO I02317-4026
FITS: JINDO 53' / PACER, CSX
LENGTH: 19' / 5,791 MM
MATERIAL: CORTEN STEEL
FINISH: PRIMER
WEIGHT: 146 LBS / 66.2 Kg




MODEL 1208-6215
BOTTOM SIDE RAIL


SUB FOR: JINDO I02317-4019
FITS: JINDO 53' / PACER, CSX
LENGTH: 19' / 5,791 MM
MATERIAL: CORTEN STEEL
FINISH: PRIMER
WEIGHT: 145 LBS / 65.77 Kg



ROADSIDE



CURBSIDE




SPECIAL ORDER ONLY **MODEL 1208-7156-CS**

SPECIAL ORDER ONLY **MODEL 1208-7156-RS**

BOTTOM SIDE RAIL


Door End Sections,
Sloping Floor



FITS: SINGAMAS 53' / FERROMEX, J.B. HUNT **LENGTH:** 71" / 1,803 MM
MATERIAL: H.S. STEEL **FINISH:** PRIMER **WEIGHT:** 53.1 LBS / 24.09 Kg

MODEL 1208-7139


BOTTOM SIDE RAIL
 Front & Rear End Sections



FITS: SINGAMAS 53' / FERROMEX, J.B. HUNT
LENGTH: 71" / 1,803 MM **MATERIAL:** H.S. STEEL
FINISH: PRIMER **WEIGHT:** 52.1 LBS / 23.63 Kg

MODEL 1208-7929


BOTTOM SIDE RAIL, Z-type,
 Front & Rear End Sections



FITS: J.B. HUNT 31919, SINGAMAS QPJH-400280
FITS: SINGAMAS 53' / J.B. HUNT
LENGTH: 5' 11-1/16" / 1,805 MM
MATERIAL: CORTEN STEEL **FINISH:** PRIMER
WEIGHT: 51.4 LBS / 23.3 Kg

MODEL 1208-7935


BOTTOM SIDE RAIL Main



SUB FOR: CIMC AD53-0103B-8,
J.B. HUNT 31921 & SINGAMAS QPH-200001
FITS: CIMC, SINGAMAS 53' / J.B. HUNT
LENGTH: 19' 5-1/16" / 5,920 MM
MATERIAL: CORTEN STEEL **FINISH:** PRIMER
WEIGHT: 148.2 LBS / 67.22 Kg

MODEL 1208-8135



BOTTOM SIDE RAIL End Section



SUB FOR: CIMC AD53-0103F-14
FITS: CIMC 53' / J.B. HUNT
LENGTH: 5' 10-15/16" / 1,802 MM
MATERIAL: CORTEN STEEL **FINISH:** PRIMER
WEIGHT: 52 LBS / 23.6 Kg

MODEL 1208-8976

BOTTOM RAIL, Front Rectangular Tubing



SUB FOR: SINGAMAS 53-302001
FITS: SINGAMAS 53' / HUB
MATERIAL: CORTEN STEEL **FINISH:** WELDABLE PRIMER
WEIGHT: 23.9 LBS / 10.84 Kg





STEEL BOTTOM SIDE RAIL REINFORCEMENT PLATES

DOMCON CONTAINERS

SPECIAL ORDER ONLY REINFORCEMENT ANGLES

Bottom Side Rail




MODEL	LENGTH	WEIGHT
1208-7145-1100	43-5/16" 1,100 MM	1.3 LBS 0.59 Kg
1208-7145-1780	70-1/16" 1,780 MM	2 LBS 0.91 Kg
1208-7145-1940	76-3/8" 1,940 MM	2.15 LBS 0.96 Kg

FITS: 53' FERROMEX, SINGAMAS
THICKNESS: 14 GA. / 2 MM **MATERIAL:** CORTEN STEEL
FINISH: PRIMER **WEIGHTS:** PER ABOVE TABLE



MODEL 1208-6191

BOTTOM RAIL




SUB FOR: CIMC D08-01C **FITS:** 20' & 40' x 96" ISO
LENGTH: 18' 8" / 5,690 MM
MATERIAL: CORTEN STEEL
FINISH: WELDABLE PRIMER
WEIGHT: 97.5 LBS / 44.2 Kg

MODEL 1208-7059

BOTTOM RAIL

Z-type



SUB FOR: CIMC D08-02 **FITS:** 40' ISO
LENGTH: 18' 8-1/2" / 5,702 MM
MATERIAL: CORTEN STEEL
FINISH: WELDABLE PRIMER
WEIGHT: 99 LBS / 44.9 Kg

MODEL 1208-6217
MODEL 1208-6217-19

BOTTOM RAIL, Lower

FITS: MCIQ/TRITON 40' HC
MATERIAL: CORTEN STEEL
FINISH: PRIMER

1208-6217
SUB FOR: MAERSK 7420014 & 7460817
LENGTH: 38' 10" / 11,838 MM
WEIGHT: 134.7 LBS / 61.1 Kg

1208-6217-19
LENGTH: 19' / 5,791 MM
WEIGHT: 67 LBS / 30.4 Kg

MODEL 1208-6218
MODEL 1208-6218-19

BOTTOM RAIL, Upper

FITS: MCIQ/TRITON 40' HC
MATERIAL: CORTEN STEEL
FINISH: PRIMER

1208-6218
SUB FOR: MAERSK 7460716
LENGTH: 38' 10" / 11,838 MM
WEIGHT: 128.6 LBS / 58.3 Kg

1208-6218-19
LENGTH: 19' 5" / 5,918 MM
WEIGHT: 64.3 LBS / 29.1 Kg

BOTTOM RAILS

MODEL #	A	B	C	WEIGHT	SUB FOR
1208-7647	1" / 25 MM	4-1/8" / 105 MM	1" / 25 MM	35 LBS / 15.9 Kg	CIMC 02-013
1208-7648	1" / 25 MM	5-1/16" / 128 MM	1" / 25 MM	37 LBS / 16.8 Kg	CIMC 02-007, 02-011
1208-7650	1-9/16" / 40 MM	5-7/8" / 150 MM	1" / 25 MM	45 LBS / 20.4 Kg	CIMC 02-014

FITS: CIMC 40' REEFER **LENGTH:** 9' 10-1/8" / 3,000 MM
MATERIAL: CORTEN STEEL **FINISH:** WELDABLE PRIMER

MODEL 1208-7651

BOTTOM RAIL

SUB FOR: CIMC 07-012
FITS: CIMC 40' REEFER
LENGTH: 9' 10-1/8" / 3,000 MM
MATERIAL: CORTEN STEEL
FINISH: WELDABLE PRIMER
WEIGHT: 30.1 LBS / 13.7 Kg

MODEL 1208-7652

BOTTOM RAIL

SUB FOR: CIMC 07-013
FITS: CIMC 40' REEFER
LENGTH: 9' 10-1/8" / 3,000 MM
MATERIAL: CORTEN STEEL
FINISH: WELDABLE PRIMER
WEIGHT: 32.1 LBS / 14.6 Kg

MODEL 1208-7705-18.7

BOTTOM RAIL
Upper

FITS: CIMC 40' REEFER
LENGTH: 18' 8" / 5,690 MM
MATERIAL: CORTEN STEEL
FINISH: WELDABLE PRIMER
WEIGHT: 62.16 LBS / 28.2 Kg

MODEL 1208-7706

BOTTOM RAIL
Reinforcement L-plate

I.D. 3/4"
Ø20 MM x 14 HOLES

82-11/16"
2,100 MM

1-3/16"
30 MM

2-3/16"
55 MM

5/32"
4 MM

SUB FOR: CIMC SA04-A202-C0
FITS: CIMC 40' REEFER
MATERIAL: CORTEN STEEL
FINISH: WELDABLE PRIMER
WEIGHT: 8.3 LBS / 3.77 Kg

SPECIAL ORDER ONLY

MODEL 1208-8519

BOTTOM RAIL
Upper, Outer

5/16"
8.1 MM

1-1/16"
27 MM

1/8"
3 MM

2-1/16"
52 MM

10-1/2"
266 MM

1-1/8"
28 MM

1-1/16"
27 MM

1/8"
3 MM

3-1/8"
79.7 MM

FITS: MAERSK MCIQ 40' HC REEFER
WORKS WITH: 1208-8522 LOWER-INNER RAIL
LENGTH: 223-1/4" or 18' 7-1/4" / 5,671 MM
MATERIAL: CORTEN STEEL **FINISH:** PRIMER
WEIGHT: 76 LBS / 34.47 Kg

