



MUD FLAP BRACKETS

CHASSIS & TRAILERS:
AUTO / DRY VAN / FLATBED / REEFER VAN

MODEL 2002-1858
BOLTING PLATE

MATERIAL: 1/8" FAB. STEEL
FINISH: HOT-DIP GALVANIZED
WEIGHT: 1.15 LBS / 0.52 Kg

MODEL 2002-2761
BOLTING PLATE

SUB FOR: PENZ 07-50-1
MATERIAL: 1/8" FAB. STEEL
FINISH: HOT-DIP GALVANIZED
WEIGHT: 1.42 LBS / 0.64 Kg

MODEL 2002-2866
BOLTING PLATE

SUB FOR: PENZ 07-50
MATERIAL: 1/8" FAB. STEEL
FINISH: PRIMER
WEIGHT: 3.56 LBS / 1.61 Kg



MUD FLAP BRACKETS

CHASSIS & TRAILERS:
AUTO / DRY VAN / FLATBED / REEFER VAN

MODEL 2002-6498
BOLTING PLATE

SUB FOR: PENZ 07-51
MATERIAL: FAB. STEEL
FINISH: PRIMER
WEIGHT: 6.3 LBS / 2.86 Kg

Technical drawing showing a perspective view of the bolting plate and a top view with dimensions: 1-1/2" (left offset), 7" (hole spacing), 7" (hole spacing), 7" (hole spacing), 1" (top offset), 23-15/16" (total length), 4-15/16" (height), and 3/16" (flange thickness). It features 4 holes of diameter $\text{Ø}7/16"$.

MUD FLAP
NOT INCLUDED

MODEL 2002-6519
BOLTING PLATE
Conical Angle

SUB FOR: TRAILMOBILE 1-700-522-45, FRUEHAUF FCF 6215-1
MATERIAL: FAB. STEEL
FINISH: PRIMER
WEIGHT: 6.85 LBS / 3.11 Kg

Technical drawing showing a perspective view of the conical angle bolting plate and a top view with dimensions: 13/16" (left offset), 1-9/16" (hole offset), 5-3/4" (hole spacing), 6-7/16" (slot spacing), 5-3/4" (slot spacing), 1-1/2" (right offset), 2-3/4" (top offset), 1" (top offset), 1-3/4" (slot width), 1/4" (slot depth), 1/4" x 4 HOLES, 1-3/4" x 4 SLOTS, 3-1/2" (height), and 26-13/16" (total length).

MUD FLAP
NOT INCLUDED

MODEL 2002-6536-RS
MODEL 2002-6536-CS
ANGLED BOLTING PLATE

SUB FOR: TRAILMOBILE 522-5-236LH (-RS) & 522-5-236RH (-CS)
MATERIAL: FAB. STEEL
FINISH: PRIMER
WEIGHT: 9.15 LBS / 4.15 Kg

Technical drawing showing perspective views for 'ROADSIDE' and 'CURBSIDE' and a top view with dimensions: 6" (hole spacing), 1" (right offset), 1-1/2" (left offset), 7" (hole spacing), 7" (hole spacing), 7" (hole spacing), 3/4" (top offset), 1-1/2" (top offset), 32-3/4" (total length), 2" (flange thickness), 3" (flange height), and 3/16" (flange thickness). It features 2 holes of diameter $\text{Ø}11/16"$ and 8 holes of diameter $\text{Ø}5/16"$.

MUD FLAP
NOT INCLUDED



MUD FLAP BRACKETS

CHASSIS & TRAILERS:
AUTO / DRY VAN / FLATBED / REEFER VAN

MODEL 2002-7368
BOLTING PLATE

SUB FOR: PENZ 07-53, MAERSK
MATERIAL: FAB. STEEL
FINISH: HOT-DIP GALVANIZED
WEIGHT: 1.3 LBS / 0.59 Kg

Ø13/32" x 5 HOLES

1-1/2" 1" 7" 7" 1-1/2" 1" 2" 1" 1/8"

MUD FLAP NOT INCLUDED

MODEL 2002-7369
ANGLED BOLTING PLATE

SUB FOR: PENZ 07-54, AJAX
MATERIAL: FAB. STEEL
FINISH: PRIMER
WEIGHT: 2.42 LBS / 1.09 Kg

Ø13/32" x 5 HOLES

1" 1-1/2" 1" 7" 7" 1-1/2" 2" 2" 90°


MUD FLAP NOT INCLUDED





TIRE CARRIERS

CHASSIS & TRAILERS:
 AUTO / DRY VAN / FLATBED / REEFER VAN



MODEL 2001-7468

UNIVERSAL-STYLE TIRE CARRIER
 2-PIECE BOLTED DESIGN
 COMES UNASSEMBLED
 HARDWARE INCLUDED


MODEL 2001-7468-9-10-KIT

BOLT KIT FOR 2001-7468

MODEL 2001-7468-W

UNIVERSAL-STYLE TIRE CARRIER
 2-PIECE BOLTED DESIGN
 COMES w/ HARDWARE BOLTED
 & WELDED TOGETHER

MATERIAL: FAB. STEEL **FINISH:** BLACK PRIMER
WEIGHT: 46.3 LBS / 21 Kg



MODEL 2001-7570-KIT


NASH-STYLE TIRE CARRIER
 2-Piece Bolted Design (Comes Unassembled)
 Hardware Included w/ Bolt-On Mounting Kit

MATERIAL: FAB. STEEL
FINISH: BLACK PRIMER
KIT WEIGHT: 44.5 LBS / 20.19 Kg
NP WEIGHT: 38.75 LBS / 17.58 Kg

MODEL 2001-7570-NP

NASH-STYLE TIRE CARRIER
 2-Piece Bolted Design (Comes Unassembled)
 Not Packaged, w/o Bolt-On Mounting Kit

Bolt-on Brackets (Model 4405-7573-P)
 SOLD SEPARATELY (see below)




MODEL 2001-7573-P

BOLT-ON MOUNTING BRACKET KIT
 for Model 2001-7570 Tire Carrier

INCLUDES:
 MOUNTING BRACKETS (3 EA.)
 ANGLED BRACKET (1 EA.)
FINISH: BLACK PRIMER
 AND
 HEX BOLTS, SELF-LOCKING
 NUTS & WASHERS (10 EA.)
FINISH: ZINC-PLATED

Packaged in one plastic bag.



TOTAL WEIGHT: 5.75 LBS / 2.61 Kg

BUFFERS USA INC

"The Intermodal Hardware Specialists"

2001-1



904-696-0010

E-mail: sales@buffersusa.com