


SHORT LINK CHAIN




ALL CHAIN PER NACM96 SPECIFICATIONS (NOT FOR LIFTING)
OTHER SIZES AVAILABLE AS SPECIAL ORDER.

MBS IS:
3 x WLL FOR GRADE 43
4 x WLL FOR GRADE 70 & 80

| MODEL | CHAIN DIA | GRADE | FINISH | WORKING LOAD LIMIT | WEIGHT PER FT | FT PER DRUM |
|-----------------------|-----------|---------------------|-------------|--------------------|--------------------|-------------|
| 2901-5/16GR70NACM96 | 5/16" | GRADE 70 TRANSPORT | YELLOW ZINC | 4,700 LBS | 1.15 LBS / 0.52 Kg | 450' |
| 2901-3/8GR43NACM96 | 3/8" | GRADE 43 HIGH TEST | SELF-COLOR | 5,400 LBS | 1.40 LBS / 0.64 Kg | 400' |
| 2901-3/8GR70NACM96 | 3/8" | GRADE 70 TRANSPORT | YELLOW ZINC | 6,600 LBS | 1.43 LBS / 0.65 Kg | 400' |
| 2901-1/2GR70NACM96 | 1/2" | GRADE 70 TRANSPORT | YELLOW ZINC | 11,300 LBS | 2.64 LBS / 1.20 Kg | 200' |
| 2901-1/2GR80ASTM-A391 | 1/2" | GRADE 80, ALLOY, HS | BLACK | 12,000 LBS | 2.50 LBS / 1.13 Kg | 200' |
| 2901-5/8GR43NACM96 | 5/8" | GRADE 43 HIGH TEST | SELF-COLOR | 13,000 LBS | 3.57 LBS / 1.62 Kg | 150' |
| 2901-5/8GR80 | 5/8" | GRADE 80, ALLOY | COLD ZINC | 18,100 LBS | 3.75 LBS / 1.70 Kg | 150' |

CHAIN ASSEMBLIES


CHAIN ASSEMBLY LENGTHS MEASURED FROM INSIDE THE HOOKS AS SHOWN



ALL CHAIN PER NACM96 SPECIFICATIONS (NOT FOR LIFTING)
CLEVIS GRAB HOOKS ARE STANDARD ON CHAIN ASSEMBLIES.
EYE HOOKS AVAILABLE AS SPECIAL ORDER.

MBS IS:
3 x WLL FOR GRADE 43
4 x WLL FOR GRADE 70

| MODEL | CHAIN DIA | GRADE | FINISH | LENGTH | WORKING LOAD LIMIT | WEIGHT PER PC | PCS PER DRUM |
|--------------------|-----------|--------------------|-------------|--------|--------------------|---------------------|--------------|
| 2901-5/16X20HHGR70 | 5/16" | GRADE 70 TRANSPORT | YELLOW ZINC | 20' | 4,700 LBS | 20.5 LBS / 9.3 Kg | 25 PCS |
| 2901-5/16X25HHGR70 | 5/16" | GRADE 70 TRANSPORT | YELLOW ZINC | 25' | 4,700 LBS | 28.7 LBS / 13.0 Kg | 25 PCS |
| 2901-3/8X20HHGR43 | 3/8" | GRADE 43 HIGH TEST | SELF-COLOR | 20' | 5,400 LBS | 33.0 LBS / 14.9 Kg | 25 PCS |
| 2901-3/8X20HHGR70 | 3/8" | GRADE 70 TRANSPORT | YELLOW ZINC | 20' | 6,600 LBS | 31.3 LBS / 14.2 Kg | 25 PCS |
| 2901-1/2X20HHGR70 | 1/2" | GRADE 70 TRANSPORT | YELLOW ZINC | 20' | 11,300 LBS | 57.0 LBS / 25.9 Kg | 10 PCS |
| 2901-1/2X50HHGR70 | 1/2" | GRADE 70 TRANSPORT | YELLOW ZINC | 50' | 11,300 LBS | 122.3 LBS / 55.5 Kg | 4 PCS |



CLEVIS GRAB HOOKS

MBS is:
3 x WLL for GRADE 43
4 x WLL for GRADE 70 & 80


| MODEL | FOR CHAIN DIAMETER | GRADE | FINISH | WORKING LOAD LIMIT (WLL) | WEIGHT (per item) |
|-------------------|--------------------|--------------------|-------------|--------------------------|--------------------|
| 2901-5/16GHGR70 | 5/16" | GRADE 70 TRANSPORT | YELLOW ZINC | 4,700 LBS | 0.75 LBS / 0.34 Kg |
| 2901-3/8GHGR43 | 3/8" | GRADE 43 HIGH-TEST | SELF-COLOR | 5,400 LBS | 1.15 LBS / 0.52 Kg |
| 2901-3/8GHGR70 | 3/8" | GRADE 70 TRANSPORT | YELLOW ZINC | 6,600 LBS | 1.1 LBS / 0.5 Kg |
| 2901-3/8GHGR80-CC | 3/8" | GRADE 80 CRADLE | PAINTED | 7,100 LBS | 1.65 LBS / 0.75 Kg |
| 2901-1/2GHGR70 | 1/2" | GRADE 70 TRANSPORT | YELLOW ZINC | 11,300 LBS | 2.4 LBS / 1.09 Kg |
| 2901-1/2GHGR80-CC | 1/2" | GRADE 80 CRADLE | PAINTED | 12,000 LBS | 3.3 LBS / 1.5 Kg |
| 2901-5/8GHGR43 | 5/8" | GRADE 43 HIGH-TEST | SELF-COLOR | 13,000 LBS | 4.2 LBS / 1.9 Kg |
| 2901-5/8GHGR80 | 5/8" | GRADE 80 | ZINC-PLATED | 18,100 LBS | 5.7 LBS / 2.58 Kg |

MODEL 2901-1420

MODEL 2901-1424

LEVER LOAD BINDERS

GRAB HOOKS
ON EACH END →



| MODEL | CHAIN SIZE | FEATURES | WORKING LOAD LIMIT (WLL) | MINIMUM BREAK STRENGTH (MBS) | WEIGHT |
|-----------|------------------------|--------------|--------------------------|------------------------------|---------------------|
| 2901-1420 | 5/16" GR70 – 3/8" GR43 | FULLY FORGED | 5,400 LBS / 2,449 Kg | 18,800 LBS / 8,527 Kg | 7.85 LBS / 3.56 Kg |
| 2901-1424 | 3/8" GR70 – 1/2" GR43 | FULLY FORGED | 9,200 LBS / 4,173 Kg | 27,600 LBS / 12,519 Kg | 12.85 LBS / 5.83 Kg |


MODEL 2901-1429

MODEL 2901-1430

MODEL 2901-1431

RATCHET LOAD BINDERS

GRAB HOOKS
ON EACH END →



| MODEL | CHAIN SIZE | WORKING LOAD LIMIT (WLL) | MINIMUM BREAK STRENGTH (MBS) | WEIGHT | HANDLE | BARREL | TAKE-UP |
|-----------|------------------------|--------------------------|------------------------------|---------------------|--------|--------|---------|
| 2901-1429 | 5/16" GR70 – 3/8" GR43 | 5,400 LBS / 2,450 Kg | 18,800 LBS / 8,527 Kg | 10.4 LBS / 4.7 Kg | 14" | 10" | 8" |
| 2901-1430 | 3/8" GR70 – 1/2" GR43 | 9,200 LBS / 4,173 Kg | 27,600 LBS / 12,519 Kg | 11.78 LBS / 5.34 Kg | 14" | 10" | 8" |
| 2901-1431 | 1/2" GR70 – 5/8" GR43 | 13,000 LBS / 5,897 Kg | 45,200 LBS / 20,502 Kg | 15.35 LBS / 6.96 Kg | 14" | 10" | 8" |