



HIGH-SECURITY BARRIER SEALS

ALL SEALS MEET ISO 17712

CONTAINERS: DOMCON, ISO & REEFER,
TRAILERS: DRY VAN & REEFER VAN

CONTAINER & TRAILER LOCK ROD HANDLE LOCK KIT w/ Key Lock, Reusable

COMPLETE SET **MODEL 3202-2950**

2 BRACKETS w/o LOCK **MODEL 3202-2950-BRK**

CYLINDER KEY LOCK ONLY **MODEL 3202-2949**



- Prevents turning of the Lock Rod and drilling of the Handle Rivet
- Very easy to fit and lock w/ Key
- Lock Bolt spins and is too short for Bolt Cutters
- Ideal for Fleets and all Owner-operated Units

CLASS: H **PACKAGING: 10 SETS / BOX**
3202-2950 WEIGHT: 3.38 LBS / SET
3202-2949 WEIGHT: 1.19 LBS / SET

CONTAINER DOOR LOCK CLAMP ASSEMBLY w/ Key Lock, Reusable

COMPLETE SET **MODEL 3202-2951**

BRACKETS SET w/o LOCK **MODEL 3202-2951-BRK**

CYLINDER KEY LOCK ONLY **MODEL 3202-2949**




- Heavy-duty 5-reuseable lock rod clamp is secured w/ special key-operated Lock
- Secures one Lock Rod on each Door to a heavy-duty Flat Bar
- Lock Bolt spins and is too short for Bolt Cutters
- Ideal for Fleets and all Owner-operated Units

CLASS: H **PACKAGING: 6 SETS / BOX**
3202-2951 WEIGHT: 5.29 LBS / SET
3202-2949 WEIGHT: 1.19 LBS / SET

CONTAINER & TRAILER DOOR LOCKING CLAMP w/ Locking Stud, Serial # Printed, One-Time Use

MODEL 3202-2952



- When extra security is required – Locking Bushing cannot be cut w/ Bolt Cutters
- Easy to fit and lock with minimum slack
- Removed by cutting the clamp w/ Power Tool or Torch
- Cannot be bent off w/ Crowbar or split w/ Freon

CLASS: H
PACKAGING: 10 SETS / BOX
WEIGHT: 3.7 LBS / SET

BUFFERS USA INC



"The Intermodal Hardware Specialists"

3202-1



904-696-0010

E-mail: sales@buffersusa.com

11/28/23




BOLT SECURITY SEALS

CLASS H, PER ISO 17712

DOMCON, ISO & REEFER CONTAINERS
DRY & REEFER VAN TRAILERS

- LIGHT BLUE** MODEL 3202-2940-LB
- WHITE** MODEL 3202-2940-WH
- YELLOW** MODEL 3202-2940-YE

w/ ANTI-SPIN



C-TPAT & ISO 17712:2013
Compliant

CLASS: H
PACKAGED: 250 / CARTON
WEIGHT EA.: 0.16 LBS / 0.07 Kg

BUFFERS USA INC

"The Intermodal Hardware Specialists"

3202-2



904-696-0010

E-mail: sales@buffersusa.com



PUSH-THROUGH CABLE SEALS

CLASS H & I, PER ISO 17712


CONTAINERS: DOMCON, ISO & REEFER,
TRAILERS: DRY VAN & REEFER VAN

PUSH-THROUGH CABLE SEAL


- SELF-LOCKING DESIGN THAT ALLOWS FOR SIZE-ADJUSTABLE LOOP.
- SERIAL NUMBER PRINTED ON BODY.
- GALVANIZED, FLEXIBLE CABLE.
- CARGO TAMPERING DISCOURAGED DUE TO CABLE THAT FRAYS WHEN CUT.




C-TPAT & ISO 17712:2013
Compliant



MODEL	CLASS	BODY MATERIAL	CABLE DIAMETER Ø	CABLE LENGTH	A	B	C	PULL-APART STRENGTH	WEIGHT PER PC.	PCS./ BOX
3202-6550	I	METAL (green lock)	3/32" 2.5 MM	12" 305 MM	1/2" 12 MM	3/4" 19.5 MM	1-1/16" 27.3 MM	290 LBS 130 Kg	0.08 LBS 0.04 Kg	500



MODEL	CLASS	BODY MATERIAL	CABLE DIAMETER Ø	CABLE LENGTH	A	B	C	PULL-APART STRENGTH	WEIGHT PER PC.	PCS./ BOX
3202-6560	I	PLASTIC (white lock)	1/16" 1.6 MM	12" 305 MM	5/16" 7.5 MM	1-5/16" 34 MM	1-1/16" 27.5 MM	224 LBS 102 Kg	0.03 LBS 0.01 Kg	1,000



MODEL	CLASS	BODY MATERIAL	CABLE DIAMETER Ø	CABLE LENGTH	A	B	C	MINIMUM PULL-APART STRENGTH	WEIGHT PER PC.	PCS./ BOX
3202-6565 SPECIAL ORDER ONLY	H	METAL (blue lock)	9/64" 3.5 MM	12" 305 MM	5/16" 7.5 MM	1-1/32" 26 MM	1-1/32" 26 MM	2,755 LBS 1,250 Kg	0.07 LBS 0.03 Kg	500
3202-6565-RD	H	METAL (red lock)	9/64" 3.5 MM	12" 305 MM	5/16" 7.5 MM	1-1/32" 26 MM	1-1/32" 26 MM	2,755 LBS 1,250 Kg	0.07 LBS 0.03 Kg	500

BUFFERS USA INC

"The Intermodal Hardware Specialists"

3202-3



904-696-0010

E-mail: sales@buffersusa.com

12/7/23



STEEL CABLE SECURITY SEALS


CLASS H, I & S, PER ISO 17712
 CONTAINERS: DOMCON, ISO & REEFER,
 TRAILERS: DRY VAN & REEFER VAN

FIXED-LOCK CABLE SEAL

- HIGH-STRENGTH, GALVANIZED, FLEXIBLE CABLE.
- SERIAL NUMBERS PRINTED ON HEX BODY.
- MANY POSSIBLE VARIATIONS TO SECURE DOOR RODS & LATCHES.
- CORROSION-RESISTANT, POLY-COATED, METAL LOCK BODY.



C-TPAT & ISO 17712:2013
 Compliant




MODEL	CLASS	BODY MATERIAL	CABLE DIAMETER Ø	CABLE LENGTH	MIN. PULL-APART STRENGTH	WEIGHT PER PC.	PCS./ BOX
3202-2154	S	METAL	3/16" 4.8 MM	12" 305 MM	680 LBS 310 Kg	0.07 LBS 0.03 Kg	250
3202-2944	S	METAL	3/16" 4.8 MM	16" 406 MM	680 LBS 310 Kg	0.18 LBS 0.08 Kg	250
3202-2945	I	METAL	1/16" 1.8 MM	48" 1,219 MM	240 LBS 110 Kg	0.06 LBS 0.03 Kg	300

PULL-TIGHT, FIXED-LOCK CABLE SEAL

- HEAVY-DUTY, SELF-LOCKING DESIGN w/ FLEXIBLE CABLE.
- SLIDING LOCK ELIMINATES ANY SLACK BETWEEN LOCKING POINTS.
- DOES NOT FORM A LOOP; DESIGNED TO LOCK TWO OR MORE LATCHES.
- SERIAL NUMBER PRINTED ON PUSH-ON LOCK BODY.



C-TPAT & ISO 17712:2013
 Compliant



MODEL	CLASS	BODY MATERIAL	CABLE DIAMETER Ø	CABLE LENGTH	MIN. PULL-APART STRENGTH	WEIGHT PER PC.	PCS./ BOX
3202-2946	H	METAL	1/4" 6.4 MM	45" 1,143 MM	4,400 LBS 2,000 Kg	0.75 LBS 0.34 Kg	50



PULL-UP SECURITY SEALS

CLASS I, PER ISO 17712



CONTAINERS: DOMCON, ISO & REEFER,
TRAILERS: DRY VAN & REEFER VAN

MODEL 3202-6352

SPECIAL ORDER ONLY w/ BARCODE

MODEL 3202-6352-UPC


WITH SERIAL
NUMBER PRINTED



CLASS: I
PULL-APART STRENGTH: 88 LBS / 40 Kg
MATERIAL: PLASTIC **COLOR:** RED
PACKAGED: 1,000 PER CARTON
WEIGHT EA. PC.: 0.011 LBS / 0.005 Kg

MODEL 3202-6562



WITH SERIAL
NUMBER PRINTED



CLASS: I
PULL-APART STRENGTH: 44 LBS / 20 Kg
MATERIAL: PLASTIC **COLOR:** ORANGE
PACKAGED: 1,000 PER CARTON (100/bag)
WEIGHT EA. PC.: 0.005 LBS / 0.002 Kg

MODEL 3202-6563

WITH SERIAL
NUMBER PRINTED



CLASS: I
PULL-APART STRENGTH: 40 LBS / 18 Kg
MATERIAL: PLASTIC **COLOR:** ORANGE
PACKAGED: 5,000 PER CARTON (100/bag)
WEIGHT EA. PC.: 0.004 LBS / 0.002 Kg

BUFFERS USA INC

"The Intermodal Hardware Specialists"

3202-5



904-696-0010

E-mail: sales@buffersusa.com

12/17/23



SECURITY SEALS

CLASS I, PER ISO 17712


CONTAINERS: DOMCON, ISO & REEFER,
TRAILERS: DRY VAN & REEFER VAN

ALL w/ SERIAL NUMBER EMBOSSED

FOR MODEL: 3202-6539

CLASS: I
PULL-APART STRENGTH: 135 LBS / 61 Kg
MATERIAL: STEEL, ZINC-PLATED
PACKAGED: 3,000 PER CARTON
WEIGHT EA. PC.: 0.015 LBS / 0.006 Kg

FLAT METAL STRAP SEAL-TYPE **MODEL 3202-6539**



FOR MODEL: 3202-6977

CLASS: I
PULL-APART STRENGTH: 216 LBS / 98 Kg
MATERIAL: STEEL, ZINC-PLATED
PACKAGED: 1,000 PER CARTON
WEIGHT EA. PC.: 0.02 LBS / 0.01 Kg

FLAT METAL STRAP SEAL-TYPE **MODEL 3202-6977**

