

MODEL 4406-2740
PVC Roof Stringer

1-7/16" 36.5 MM
3-5/32" 80 MM
1/8" 3.2 MM
2-13/32" 61 MM
1-3/4" 45 MM
82-13/32" 2,093 MM
1/2" 13 MM
5/16" 7.5 MM

SUB FOR: CARLISLE 3118 **MATERIAL:** PVC **COLOR:** BLK
LENGTH: 82-1/2" / 2,093 MM **WEIGHT:** 3.5 LBS / 1.59 Kg

MODEL 4406-6436
PVC Wall Stringer

1-1/8" 28.58 MM
1/8" 3.18 MM
1-3/4" 44.45 MM
5/8" 16 MM
1" 25.4 MM
1" 25.4 MM
3/8" 9.53 MM
1/2" 12.7 MM

SUB FOR: MAERSK 7360003 **FITS:** MCIQ 40' REEFER
LENGTH: 105" / 2,666 MM **MATERIAL:** PVC
COLOR: GRAY **WEIGHT:** 2.53 LBS / 1.15 Kg

MODEL 4406-6437
PVC Wall Stringer

1-3/16" 30.16 MM
1/8" 3.18 MM
2-3/8" 60.33 MM
9/16" 14.29 MM
1-9/16" 39.69 MM

SUB FOR: MAERSK 7360024 **FITS:** MCIQ 40' REEFER
LENGTH: 103-7/8" / 2,638 MM **MATERIAL:** PVC
COLOR: GRAY **WEIGHT:** 4 LBS / 1.81 Kg

SPECIAL ORDER ONLY **MODEL 4406-6758**
Aluminum Wall Stringer

13/32" 10 MM
9/32" 7 MM
1-1/4" 32 MM
1-9/32" 33 MM

LENGTH: 108-1/8" / 2,746 MM
MATERIAL: ALUMINUM **FINISH:** SELF-COLOR
WEIGHT: 3.15 LBS / 1.43 Kg

MODEL 4406-6980
PVC Wall Stringer
T-style

1-27/32" 46.6 MM
3-5/32" 80 MM
3/16" 4.9 MM
1/8" 3 MM

LENGTH: 108" / 2,743.2 MM **MATERIAL:** PVC
COLOR: GRAY **WEIGHT:** 3.02 LBS / 1.37 Kg




MODEL 4406-7717
PVC Roof Stringer
I-Beam

1-31/32" 50 MM
3-11/32" 85 MM
1/8" 3.2 MM
1/8" 3.2 MM

SUB FOR: CIMC RA-W6K **FITS:** CIMC 40' REEFER
LENGTH: 86-5/8" / 2,200 MM **MATERIAL:** PVC
COLOR: GRAY **WEIGHT:** 5.2 LBS / 2.4 Kg

MODEL 4406-6829



DOOR FRAME LEDGE



FITS: CIMC 40' REEFER **SUB FOR:** CIMC 09-004
LENGTH: 90" / 2,286 MM **MATERIAL:** PVC
COLOR: OFF-WHITE **WEIGHT:** 5.05 LBS / 2.29 Kg

MODEL 4406-7450


FRAME LEDGE



FITS: CIMC 40' REEFER **SUB FOR:** CIMC 09-003
LENGTH: 102.6" / 2,604 MM **MATERIAL:** PVC
COLOR: OFF-WHITE **WEIGHT:** 4.4 LBS / 2 Kg

MODEL 4406-6805


FLOOR, Corrugated & Notched



FITS: CIMC 40' REEFER **SUB FOR:** CIMC TA12-B219-P3
MATERIAL: POLYETHYLENE **FINISH:** BLACK **WEIGHT:** 8.6 LBS / 3.9 Kg

MODEL 4406-7846

UNDER GUTTER



FITS: CIMC 40' REEFER **SUB FOR:** CIMC GB01-J236-A2
MATERIAL: POLYETHYLENE **FINISH:** BLACK **WEIGHT:** 11.7 LBS / 5.3 Kg




INSULATING FOAM FILLER

REEFER CONTAINERS

MODEL 4406-7855

UNDER THRESHOLD, Shim



FITS: CIMC 40' REEFER **SUB FOR:** CIMC GB02-C221-F0
MATERIAL: POLYURETHANE **FINISH:** TAN **WEIGHT:** 6.06 LBS / 2.75 Kg

BUFFERS USA INC

"The Intermodal Hardware Specialists"

4406-4




904-696-0010

E-mail: sales@buffersusa.com

6/14/21


MODEL 4406-1981-KIT
MODEL 4406-1982-KIT
REEFER DRAIN PLUG ASSEMBLIES

MODEL 1981-KIT



WEIGHT: 0.1 LBS
(includes Lanyard)

MODEL 1982-KIT






WEIGHT: 0.15 LBS
(includes Lanyard)



BOTH PLUGS HAVE APPROX. 8\"/>

MODEL 4406-6948
DRAIN VALVE ASSEMBLY




O.D. 1-23/32\"/>



1-1/4" Drain Valve

MATERIAL: BLACK RUBBER & PVC
WEIGHT: 0.13 LBS / 0.06 Kg



MODEL 4406-6949
DRAIN VALVE ASSEMBLY



1-5/8" Drain Valve

MATERIAL: BLACK RUBBER & PVC
WEIGHT: 0.16 LBS / 0.07 Kg

MODEL 4406-7529
AUTOMATIC DRAIN VALVE ASSEMBLY



Stainless Steel Chain attached

Float Ball included

MATERIAL: PE
WEIGHT: 0.06 LBS / 0.03 Kg

MODEL 4406-7373-1
Aluminum Cap

MODEL 4406-7373-4
Strainer No. 1, Stainless Steel

MODEL 4406-7373-3
Strainer No. 2, Stainless Steel

MODEL 4406-7373-2
PVC Drain Pipe

O.D. 1-3/4" \varnothing 44.5 MM

2-1/16" 52 MM

3-1/2" 88.9 MM SCH 80

O.D. 1-5/16" \varnothing 33.4 MM

MODEL 4406-7373-KIT

3-1/2" DRAIN PIPE ASSEMBLY
ONLY SOLD AS COMPLETE KIT

MODEL 4406-6950
Kazoo-type Drain Valve
(sold separately)

WEIGHT: 0.37 LBS / 0.17 Kg

MODEL 4406-7373-1
Aluminum Cap

MODEL 4406-7373-4
Strainer No. 1, Stainless Steel

MODEL 4406-7373-3
Strainer No. 2, Stainless Steel

MODEL 4406-7374-2
PVC Drain Pipe

O.D. 1-3/4" \varnothing 44.5 MM

2-1/16" 52 MM

6" 152.4 MM SCH 80

O.D. 1-5/16" \varnothing 33.4 MM

MODEL 4406-7374-KIT

6" DRAIN PIPE ASSEMBLY
ONLY SOLD AS COMPLETE KIT

MODEL 4406-6950
Kazoo-type Drain Valve
(sold separately)

WEIGHT: 0.46 LBS / 0.21 Kg

I.D. 3/16" \varnothing 5 MM
6 HOLES

O.D. 3-1/2" \varnothing 88.5 MM

O.D. 1-7/16" \varnothing 37 MM

O.D. 2-5/32" \varnothing 54.5 MM

23/32" 18.5 MM

3-1/2" 90.3 MM

3/16" 5 MM

1-1/32" 26.5 MM

O.D. 1-3/4" \varnothing 44 MM

EACH ITEM ALSO SOLD SEPARATELY:

MODEL 4406-7377-3/7
Valve Assembly, PVC

MODEL 4406-7377-1
Inner Housing, Aluminum

MODEL 4406-7377-2
Outer Housing w/ Flange, PVC

MODEL 4406-7377-KIT

DRAIN VALVE, AUTOMATIC SELF-CLOSING


4406-7377-KIT

WEIGHT: 0.31 LBS / 0.14 Kg

MODEL 4406-6753

KAZOO

FITS DRAIN PIPES w/
O.D. 1-5/8" / Ø41 MM



SUB FOR: CIMC 09-006-8, BL-A04-E0
FITS: CIMC **MATERIAL:** BLACK RUBBER
WEIGHT: 0.06 LBS / 0.03 Kg

MODEL 4406-6769

HOSE CLAMP
for Kazoos & Valves

MINIMUM CLAMP DIAMETER: 1-1/4"
MAXIMUM CLAMP DIAMETER: 2-1/4"
BAND WIDTH: 1/2"
BAND THICKNESS: 1/64"
SCREW SIZE: 5/16" HEX




MATERIAL: STAINLESS STEEL
FINISH: SELF-COLOR
WEIGHT: 0.05 LBS / 0.02 Kg

MODEL 4406-6950

KAZOO

FITS DRAIN PIPES w/
O.D. 1-5/16" / Ø33.5 MM




FITS: VANGUARD
MATERIAL: BLACK RUBBER
WEIGHT: 0.03 LBS / 0.013 Kg

MODEL 4406-7708

COMBO KAZOO


FITS DRAIN
PIPES w/ O.D.
1-1/2" / 38 MM
1-5/8" / 41 MM
1-3/4" / 44 MM

Easy to cut to required size




SUB FOR: CIMC 09-006-1
MATERIAL: BLACK RUBBER
WEIGHT: 0.04 LBS / 0.018 Kg

MODEL 4406-6446
GENERATOR SET BRACKET




SUB FOR: MAERSK 7133055 **FITS:** MCIQ 40' REEFER
MATERIAL: CORTEN STEEL **FINISH:** PRIMER
WEIGHT: 2.79 LBS / 1.27 Kg


MODEL 4406-7230
GENERATOR SET BRACKET
for Top Header



FITS: CIMC & MAERSK MCIQ REEFER
MATERIAL: CORTEN STEEL **FINISH:** PRIMER
WEIGHT: 1.87 LBS / 0.85 Kg



MATERIAL: PVC w/ Frost Finish
WEIGHT: 3.3 LBS / 1.5 Kg



MATERIAL: POLYETHYLENE
LENGTH: 403" (10,236 MM)
WEIGHT: 0.56 LBS / 0.26 Kg

STICK-ON DECAL 4406-6986
Pull-off Mask on back side

MATERIAL: VINYL
COLORS: WHITE BACKING w/ RED PRINT
DIMENSIONS: 13.5" (343 MM) WIDE x 9.5" (241 MM) LONG

MODEL 4406-6984-KIT

VINYL CURTAIN w/ DECAL, RIBBON & TAG

ALSO SOLD INDIVIDUALLY:

MODEL 4406-6984

VINYL CURTAIN

MODEL 4406-6985

SECURING RIBBON

MODEL 4406-6986

VINYL STICK-ON DECAL

MODEL 4406-6987

HANGING TAG

0.0065" (6.5 mil)
0.165 MM

HANGING TAG 4406-6987

Printed Front & Back as shown

MATERIAL: ANTI-TEAR PLASTIC
COLORS: WHITE BACKING w/ RED PRINT
TAG DIMENSIONS: 3.75" (95 MM) WIDE x 8.5" (216 MM) LONG





DO NOT ENTER	NE PAS ENTRER	¡PROHIBIDO LA ENTRADA!
<p><small>NON LIFE SUPPORTING ATMOSPHERE INSIDE</small></p> <p>FOR YOUR SAFETY</p> <p><small>BEFORE ENTERING:</small></p> <ol style="list-style-type: none"> 1. OPEN DOORS WIDE 2. REMOVE PLASTIC CURTAIN 3. RUN REEFER 3 MINUTES <p><small>ATTENTION: VERIFY ATMOSPHERE SUITABLE BEFORE RE-ENTRY</small></p>	<p><small>ATMOSPHERE NE SUPPORTANT VIE À L'INTERIEUR</small></p> <p>POUR VOTRE SÛRETÉ</p> <p><small>AVANT D'ENTRER:</small></p> <ol style="list-style-type: none"> 1. OUVRIR LES PORTES GRANDEMENT 2. VEUILLEZ ENLEVER LE RIBEAU PLASTIQUE 3. FAITES MARCHER LE RÉFRIGÉRATEUR PENDANT 3 MIN. <p><small>RECONFIRMEZ LE NIVEAU DE LA CORTINE AVANT D'ENTRER. INVENTEZ POUR OPTIMISER LE FONCTIONNEMENT</small></p>	<p><small>ATMÓSFERA IRRESPIRABLE ADETRON</small></p> <p>POR SU SEGURIDAD</p> <p><small>ANTES DE ENTRAR:</small></p> <ol style="list-style-type: none"> 1. ABRIR LAS PUERTAS COMPLETAMENTE 2. SACAR LA CORTINA PLÁSTICA 3. DEJAR LA REFRIGERACION FUNCIONANDO 3 MINUTOS <p><small>¡PRECAUCIÓN! VERIFIQUE SUSEGURIDAD DE MATERIALES ANTES DE ENTRAR</small></p>


*Only sold as a Complete Kit; Components are **NOT** sold separately.

MODEL 4406-7553-KIT
GAS INJECTION PORT KIT*

MATERIAL & FINISH:
 PER DETAILS BELOW
KIT WEIGHT:
 0.45 LBS / 0.2 Kg



4406-7553-3 Mounting Bracket
MATERIAL: STAINLESS STEEL
FINISH: MILL FINISH
WEIGHT: 0.23 LBS / 0.1 Kg



4406-7553-1 Flanged Tube
MATERIAL: SCH 80 CPVC **COLOR:** GRAY
WEIGHT: 0.06 LBS / 0.03 Kg