

MODEL 5103-1678
CHAIN EYE HOOK
 for 16 & 18 mm Chain

Dimensions:
 4-15/32" (114 MM)
 4-5/16" (110 MM)
 1-3/8" (35 MM)
 7" (178 MM)
 I.D. 1-1/4" (Ø32 MM)
 3/4" (19 MM)

MBS: 70,000 LBS / 31.7 M. Ton

WORKS WITH: 16 & 18 MM CHAIN
MATERIAL: FORGED STEEL FINISH: HOT-DIP GALVANIZED
WEIGHT: 3.45 LBS / 1.57 Kg

MODEL 5103-1680
CHAIN EYE HOOK
 for 11 mm Chain

Dimensions:
 4-1/32" (102 MM)
 4-1/32" (102.5 MM)
 1-5/16" (33.5 MM)
 6-1/4" (159 MM)
 I.D. 7/8" (Ø22.5 MM)
 19/32" (15 MM)

MBS: 35,000 LBS / 15.9 M. Ton

WORKS WITH: 11 MM CHAIN
MATERIAL: FORGED STEEL FINISH: HOT-DIP GALVANIZED
WEIGHT: 2.14 LBS / 0.97 Kg

MODEL 5103-1682
CHAIN EYE HOOK
 for 9 mm Chain

Dimensions:
 3-5/32" (80 MM)
 2-19/32" (66 MM)
 1-1/4" (31.8 MM)
 4-5/8" (118 MM)
 I.D. 5/8" (Ø16 MM)
 7/16" (11.5 MM)

MBS: 17,000 LBS / 7.7 M. Ton

WORKS WITH: 9 MM CHAIN
MATERIAL: FORGED STEEL FINISH: HOT-DIP GALVANIZED
WEIGHT: 0.88 LBS / 0.4 Kg

MODEL 5103-1692
MODEL 5103-1692-R*
EYE HOIST HOOK
 *.R includes SS Latch

Dimensions:
 6-1/4" (158 MM)
 1-7/16" (36 MM)
 I.D. 2-3/4" (Ø70 MM)
 10-3/16" (258 MM)
 1-7/8" (48 MM)
 7-3/8" (187 MM)
 I.D. 1/8" (Ø3.8 MM)
 I.D. 2" (Ø51 MM)
 25 MM
 1"

MBS: 77,160 LBS / 35 M. Ton

MATERIAL: ALLOY STEEL 1692 FINISH: ZINC-PLATED
1692-R FINISH: PAINTED RED WEIGHT: 7 LBS / 3.17 Kg

MODEL 5103-1694
1/2" CLEVIS SLING HOOK
 Grade 80

5-1/2" 139.8 MM
 I.D. 2-1/2" Ø63 MM
 8-7/16" 214 MM
 5-5/8" 143 MM
 2-1/8" 54 MM
 1-3/8" 35.3 MM
 2-5/16" 58 MM
 11/16" 17.6 MM

MBS: 48,000 LBS / 21.77 M. Ton

FITS: 1/2" SHORT LINK CHAIN MATERIAL: FORGED ALLOY STEEL
FINISH: PAINTED RED WEIGHT: 4.69 LBS / 2.13 Kg

MODEL 5103-1701
5/8" CLEVIS SLING HOOK
 Grade 80, w/o spring latch

6-1/2" 164.8 MM
 I.D. 2-21/32" Ø68 MM
 9-15/16" 252 MM
 6-13/32" 163 MM
 2-7/16" 62 MM
 1-5/8" 41 MM
 2-1/8" 54 MM
 1-7/32" 31 MM

MBS: 72,400 LBS / 32.84 M. Ton


FITS: 5/8" SHORT LINK CHAIN MATERIAL: FORGED ALLOY STEEL
FINISH: YELLOW ZINC CHROMATE WEIGHT: 8.56 LBS / 3.88 Kg

SPECIAL ORDER ONLY MODEL 5103-8088
1/2" CLEVIS SLIP HOOK ASSEMBLY, Grade 70

2-3/8" 61.1 MM
 1-7/8" 48 MM
 9/16" 15 MM
 9/16" 15 MM
 1-11/16" 42.9 MM
 6-1/2" 165 MM
 3-15/16" 100 MM
 4-3/16" 123 MM
 O.D. 1-5/16" Ø33 MM
 15/16" 24 MM

MBS: 35,900 LBS / 16.28 M. Ton

FITS: 1/2" SHORT LINK CHAIN MATERIAL: ALLOY STEEL FINISH: YELLOW ZINC
WEIGHT: 2.93 LBS / 1.33 Kg




CHAIN TIE-DOWN FITTINGS

BULB HOOKS & ELEPHANT FOOT

MODEL 5103-1676

BULB HOOK




MBS: 70,000 LBS / 31.7 M. Ton

SUB FOR: NSN 4030-01-169-6807 & 4030-01-540-1583, PECK & HALE H73 **MATERIAL:** FORGED STEEL
FINISH: HOT-DIP GALVANIZED **WEIGHT:** 4.65 LBS / 2.11 Kg

MODEL 5103-1679

BULB HOOK




MBS: 35,000 LBS / 15.9 M. Ton

SUB FOR: PECK & HALE H71 **MATERIAL:** FORGED STEEL
FINISH: HOT-DIP GALVANIZED **WEIGHT:** 3.2 LBS / 1.45 Kg

MODEL 5103-1681

ELEPHANT FOOT

Wide Angle




MBS: 17,000 LBS / 7.7 M. Ton

SUB FOR: PECK & HALE H62 **MATERIAL:** FORGED STEEL
FINISH: HOT-DIP GALVANIZED **WEIGHT:** 2.65 LBS / 1.2 Kg

MODEL 5103-1702

CONNECTING LINK
5/8", Grade 70




MBS: 72,400 LBS / 32.8 M. Ton

FITS: 5/8" SHORT LINK CHAIN **SUB FOR:** CAMPBELL 5779255
MATERIAL: ALLOY STEEL **FINISH:** ZINC-PLATED
WEIGHT: 2.86 LBS / 1.29 Kg

MODEL 5103-CL-1/4-GR80

CONNECTING LINK
1/4", Grade 80

SPECIAL ORDER ONLY




MBS: 14,000 LBS / 6.35 M. Ton

FITS: 1/4" SHORT LINK CHAIN
MATERIAL: ALLOY STEEL **FINISH:** ZINC-PLATED
WEIGHT: 0.25 LBS / 0.11 Kg

MODEL 5103-CL-3/8-GR100

CONNECTING LINK
3/8", Grade 100



MBS: 35,200 LBS / 15.96 M. Ton

FITS: 3/8" SHORT LINK CHAIN
SUB FOR: CAMPBELL 5779235
MATERIAL: ALLOY STEEL **FINISH:** PAINTED GREEN
WEIGHT: 0.69 LBS / 0.31 Kg




CHAIN TIE-DOWN ASSEMBLY

HOOK/TURNBUCKLE/FOOT & CHAIN/HOOK


17,000 LBS (7.7 M. TON) MBS

MODEL 5103-1703-KIT
COMPLETE ASSEMBLY




SUB FOR: PECK & HALE 17MTB/1630 **WEIGHT:** 14.8 LBS / 6.7 Kg

MODEL 5103-1703-TA
TURNBUCKLE ASSEMBLY



SUB FOR: PECK & HALE 17MTB-1/1630 **WEIGHT:** 6.4 LBS / 2.9 Kg

MODEL 5103-1703-CA-HDG
CHAIN ASSEMBLY



SUB FOR: PECK & HALE 17MTB-2/1630 **WEIGHT:** 8.4 LBS / 3.8 Kg

BUFFERS USA INC

"The Intermodal Hardware Specialists"



904-696-0010 FAX: 904-696-0019

E-mail: sales@buffersusa.com


5103-5

CHAIN TIE-DOWN ASSEMBLY

HOOK/TURNBUCKLE/HOOK & CHAIN/HOOK


35,000 LBS (15.87 M. TON) MBS

MODEL 5103-1706-KIT
COMPLETE ASSEMBLY




SUB FOR: PECK & HALE 35MTB/1631 **WEIGHT:** 25.4 LBS / 11.5 Kg

MODEL 5103-1706-TA
TURNBUCKLE ASSEMBLY



SUB FOR: PECK & HALE 35MTB-1/1631 **WEIGHT:** 14.75 LBS / 6.7 Kg

MODEL 5103-1706-CA
CHAIN ASSEMBLY




SUB FOR: PECK & HALE 35MTB-2/1631 **WEIGHT:** 10.65 LBS / 4.8 Kg

CHAIN TIE-DOWN ASSEMBLY

HOOK/TURNBUCKLE/HOOK & CHAIN/HOOK


70,000 LBS (31.7 M. TON) MBS

MODEL 5103-1707-KIT
COMPLETE ASSEMBLY




SUB FOR: PECK & HALE 70MTB/1632 **WEIGHT:** 51.1 LBS / 23.2 Kg

MODEL 5103-1707-TA-BH
TURNBUCKLE ASSEMBLY



SUB FOR: PECK & HALE 70MTB-1/1632 **WEIGHT:** 28.9 LBS / 13.1 Kg

MODEL 5103-1707-CA
CHAIN ASSEMBLY




SUB FOR: PECK & HALE 70MTB-2/1632 **WEIGHT:** 22.2 LBS / 10.1 Kg





CHAIN TIE-DOWN ASSEMBLIES

HOOK/TURNBUCKLE/FOOT & CHAIN/HOOK

70,000 LBS (31.7 M. TON) MBS



COMPLETE ASSEMBLY	ASSEMBLY WEIGHT	OPERATING LENGTH		CHAIN ASSEMBLY	TURNBUCKLE ASSEMBLY
		Inches	Feet		
5103-1696-KIT	41.45 LBS / 18.8 Kg	42" – 69"	3.5' – 5.75'	5103-1696-CA	5103-1707-TA-EF
5103-1699-KIT	51.1 LBS / 23.18 Kg	42" – 108"	3.5' – 9'	5103-1699-CA	5103-1707-TA-EF
5103-1717-KIT	46.16 LBS / 20.94 Kg	42" – 165"	3.5' – 13.75'	5103-1710-CA	5103-1707-TA-EF
5103-1718-KIT	92.2 LBS / 41.83 Kg	42" – 285"	3.5' – 23.75'	5103-1711-CA	5103-1707-TA-EF
5103-1719-KIT	127.11 LBS / 57.66 Kg	42" – 405"	3.5' – 33.75'	5103-1712-CA	5103-1707-TA-EF
5103-1720-KIT	157 LBS / 71.21 Kg	42" – 525"	3.5' – 43.75'	5103-1713-CA	5103-1707-TA-EF



CHAIN ASSEMBLY	LENGTH	LONG LINK CHAIN	MATERIAL	FINISH
5103-1696-CA	24" / 0.6 M	5101-2106-HDG	STEEL	HOT-DIP GALVANIZED
5103-1699-CA	63" / 1.6 M	5101-2106-HDG	STEEL	HOT-DIP GALVANIZED
5103-1710-CA-BLK	120" / 3.1 M	5101-2096-BLK	STEEL	PAINTED BLACK
5103-1710-CA-GRE	120" / 3.1 M	5101-2096-GRE	STEEL	PAINTED GREEN
5103-1711-CA-BLU	240" / 6.1 M	5101-2096-BLU	STEEL	PAINTED BLUE
5103-1711-CA-ORG	240" / 6.1 M	5101-2096-ORG	STEEL	PAINTED ORANGE
5103-1712-CA-HDG	360" / 9.1 M	5101-2106-HDG	STEEL	HOT-DIP GALVANIZED
5103-1712-CA-WHT	360" / 9.1 M	5101-2096-WHT	STEEL	PAINTED WHITE
5103-1713-CA-GRE	480" / 12.2 M	5101-2096-GRE	STEEL	PAINTED GREEN
5103-1713-CA-YEL	480" / 12.2 M	5101-2096-YEL	STEEL	PAINTED YELLOW






CHAIN TIE-DOWN ASSEMBLY


HOOK / TURNBUCKLE / HOOK &
L.L. CHAIN / CONN. LINK / S.L. CHAIN / HOOK
70,000 LBS (31.7 M. TON) MBS

MODEL 5103-1708-KIT
COMPLETE ASSEMBLY




SUB FOR: PECK & HALE 70MTB/1650A **WEIGHT:** 91 LBS / 41.3 Kg

MODEL 5103-1708-TA
TURNBUCKLE ASSEMBLY



SUB FOR: PECK & HALE 70MTB-1/1650 **WEIGHT:** 35.7 LBS / 16.2 Kg

MODEL 5103-1708-CA
CHAIN ASSEMBLY



SUB FOR: PECK & HALE 70MTB-2/1650A **WEIGHT:** 55.3 LBS / 25.1 Kg

BUFFERS USA INC

"The Intermodal Hardware Specialists"



904-696-0010 FAX: 904-696-0019

E-mail: sales@buffersusa.com


5103-9



CHAIN TIE-DOWN ASSEMBLIES


HOOK/TURNBUCKLE/HOOK & CHAIN/HOOK

70,000 LBS (31.7 M. TON) MBS



COMPLETE ASSEMBLY	SUB FOR	ASSEMBLY WEIGHT	OPERATING LENGTH		CHAIN ASSEMBLY	TURNBUCKLE ASSEMBLY
			Inches	Feet		
5103-1700-KIT	—	45.3 LBS / 20.5 Kg	51" – 73"	4.2' – 6'	5103-1696-CA	5103-1709-TA
5103-1705-KIT	P&H 70MTB	55 LBS / 25 Kg	51" – 112"	4.2' – 9.3'	5103-1699-CA	5103-1709-TA
5103-1710-KIT	P&H 70MTB/1786A	68 LBS / 31 Kg	51" – 169"	4.2' – 14.1'	5103-1710-CA	5103-1709-TA
5103-1711-KIT	P&H 70MTB/1786C	97 LBS / 44 Kg	51" – 289"	4.2' – 24.1'	5103-1711-CA	5103-1709-TA
5103-1712-KIT	P&H 70MTB/1786E	128 LBS / 58 Kg	51" – 409"	4.2' – 34.1'	5103-1712-CA	5103-1709-TA
5103-1712-KIT-HDG	P&H 70MTB/1786E	128 LBS / 58 Kg	51" – 409"	4.2' – 34.1'	5103-1712-CA-HDG	5103-1709-TA
5103-1713-KIT	K-H-16/B-76	157 LBS / 71 Kg	51" – 529"	4.2' – 44.1'	5103-1713-CA	5103-1709-TA
5103-1714-KIT	P&H 70MTB/1786H	172 LBS / 78 Kg	51" – 589"	4.2' – 49.1'	5103-1714-CA	5103-1709-TA
5103-1715-KIT	K-H-16/B-76	187 LBS / 84.8 Kg	51" – 649"	4.2' – 54.1'	5103-1715-CA	5103-1709-TA

MODEL 5103-1709-TA



CHAIN ASSEMBLY	LENGTH	LONG LINK CHAIN	MATERIAL	FINISH
5103-1696-CA	24" / 0.6 M	5101-2106-HDG	STEEL	HOT-DIP GALVANIZED
5103-1699-CA	63" / 1.6 M	5101-2106-HDG	STEEL	HOT-DIP GALVANIZED
5103-1710-CA-BLK	120" / 3.1 M	5101-2096-BLK	STEEL	PAINTED BLACK
5103-1710-CA-GRE	120" / 3.1 M	5101-2096-GRE	STEEL	PAINTED GREEN
5103-1608-CA-ORG	144" / 3.6 M	5101-2096-ORG	STEEL	PAINTED ORANGE
5103-1711-CA-BLU	240" / 6.1 M	5101-2096-BLU	STEEL	PAINTED BLUE
5103-1711-CA-ORG	240" / 6.1 M	5101-2096-ORG	STEEL	PAINTED ORANGE
5103-1712-CA-HDG	360" / 9.1 M	5101-2106-HDG	STEEL	HOT-DIP GALVANIZED
5103-1712-CA-WHT	360" / 9.1 M	5101-2096-WHT	STEEL	PAINTED WHITE
5103-1713-CA-GRE	480" / 12.2 M	5101-2096-GRE	STEEL	PAINTED GREEN
5103-1713-CA-YEL	480" / 12.2 M	5101-2096-YEL	STEEL	PAINTED YELLOW
5103-1714-CA-ORG	540" / 13.7 M	5101-2096-ORG	STEEL	PAINTED ORANGE
5103-1715-CA-YEL	600" / 15.2 M	5101-2096-YEL	STEEL	PAINTED YELLOW

