


SPECIAL ORDER ONLY **MODEL 6202-1905-E**

TOP INTERMEDIATE
Non-handed




MODEL 6202-1906-F **SPECIAL ORDER ONLY**

BOTTOM LEFT DOOR SEAL

MODEL 6202-1907-G

BOTTOM RIGHT DOOR SEAL




MODEL 6202-1906-F Bottom Left Casting is shown dimensioned;
MODEL 6202-1907-G Bottom Right Casting is the mirror opposite.

MODEL 6202-1908-I **SPECIAL ORDER ONLY**

TOP LEFT

MODEL 6202-1909-J

TOP RIGHT



MODEL 6202-1908-I Top Left Casting is shown dimensioned;
MODEL 6202-1909-J Top Right Casting is the mirror opposite.

ALL CORNER FITTINGS:

MATERIAL: CAST STEEL
FINISH: SELF-COLOR



CORNER CASTINGS

FOR 102" WIDE
DOMCON CONTAINERS

SPECIAL ORDER ONLY **MODEL 6202-5011-E**
TOP INTERMEDIATE PINLIFT

FITS: 102-3/8" J.B. HUNT CONTAINERS
MATERIAL: CAST STEEL
WEIGHT: 23.1 LBS / 10.5 Kg

SPECIAL ORDER ONLY **MODEL 6202-5017-E**
TOP INTERMEDIATE PINLIFT
w/ ISO APERTURE
Shallow Style for
96-3/8"-wide Top Lift

FITS: 102-3/8" J.B. HUNT CONTAINERS w/ WIDE LIFT
MATERIAL: CAST STEEL
WEIGHT: 27.2 LBS / 12.3 Kg

MODEL 3701-1192

ISO Aperture Plate
6" x 8" x 1-1/8"

SUB FOR: AAR MOBILITY/SUMMA 12468810
MATERIAL: CARBON STEEL **WEIGHT:** 11.1 LBS / 5.04 Kg

MODEL 6202-5010-A/B

Bottom Aperture Support Plate
6" x 6" x 1-3/32"

SUB FOR: FONTAINE RIR-1095, HYUNDAI 10005756
FITS: HYUNDAI 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL **WEIGHT:** 11 LBS / 4.99 Kg

MODEL 6202-5033-A/B

Bottom Aperture Support Plate
6" x 5-7/8" x 1"

SUB FOR: STOUGHTON 04-14957
FITS: STOUGHTON 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL **WEIGHT:** 3.5 LBS / 1.59 Kg

MODEL 6202-5036-A/B

SPECIAL ORDER ONLY

Bottom Aperture Support Plate
6" x 6" x 3/4"

SUB FOR: HYUNDAI 10016627
FITS: HYUNDAI 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL **WEIGHT:** 6.9 LBS / 3.13 Kg



4-1/4" 108.5 MM
2-3/4" 69.5 MM
1-15/16" 49.5 MM
3" 76.2 MM
1-15/16" 49.5 MM
2-5/16" 58 MM
6-15/16" 176.2 MM
I.D. 2" Ø51 MM
3-15/16" 99.7 MM
3" 76.2 MM
4" 101.6 MM
6-11/16" 170 MM
9-7/16" 239.2 MM
3-11/16" 93.8 MM
I.D. 4-7/8" Ø124 MM
2-1/2" 63.5 MM
8" 203 MM

SHALLOW STYLE
w/ Double Aperture & Flange

MODEL 6202-5013-C
BOTTOM LEFT INTERMEDIATE

MODEL 6202-5013-D
BOTTOM RIGHT INTERMEDIATE
SPECIAL ORDER ONLY

9/16" 13.7 MM
3/8" 9 MM
I.D. 2" Ø51.5 MM
2-15/16" 75 MM
4-3/4" 120.3 MM
5/8" 16 MM

6202-5013-C
BOTTOM LEFT

6202-5013-D
BOTTOM RIGHT

SUB FOR: CIMC D19-04-2 (5013-C), D19-04-1 (5013-D) & J.B. HUNT JJ-5-MB-R
FITS: CIMC & J.B. HUNT 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL **WEIGHT:** 30 LBS / 13.6 Kg

6" 152.4 MM
3" 76.2 MM
2" 51 MM
3" 76.2 MM
2" 51 MM
2-7/32" 56.4 MM
3-27/32" 98 MM
I.D. 2" Ø51 MM
6-27/32" 174.2 MM
3" 76.2 MM
4" 101.6 MM
6-11/16" 170 MM
9-13/16" 249.2 MM
3-11/16" 93.8 MM
I.D. 4-7/8" Ø124 MM
2-1/2" 63.5 MM
8" 203 MM

SHALLOW STYLE
w/ Double Aperture & Flange

MODEL 6202-5015-C/D
BOTTOM INTERMEDIATE
Non-handed

1-3/16" 30 MM
3/8" 9.6 MM

SUB FOR: HYUNDAI 10006146
FITS: HYUNDAI 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL
WEIGHT: 31.5 LBS / 14.3 Kg

MODEL 6202-5018-E
TOP INTERMEDIATE
w/ Standard 89" c/c
Top Lift Aperture

SUB FOR: HYUNDAI 10006204
FITS: HYUNDAI 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL
WEIGHT: 31.5 LBS / 14.3 Kg

MODEL 6202-5020-C/D
BOTTOM INTERMEDIATE
w/ Double Aperture,
Shallow style

SUB FOR: FONTAINE RIR-2062
FITS: 102-3/8" CONTAINERS
MATERIAL: CAST STEEL
WEIGHT: 31.5 LBS / 14.29 Kg

Top view dimensions: 4-7/8" (124 MM), 8-3/4" (222 MM), 2-5/16" (58.9 MM), 2" (Ø50.8 MM), 1/2" (12.7 MM), 3-7/8" (98.5 MM).

Side view dimensions: 3" (76.2 MM), 6-11/16" (169.9 MM), 4-7/8" (Ø124 MM), 8" (203.2 MM), 2-1/2" (63.5 MM), 9-13/16" (249.2 MM).

MODEL 6202-5022-C/D

BOTTOM INTERMEDIATE
w/ Weld Flange & Double Aperture

Dimensions: 1-13/16" (45.9 MM), 1/16" (1.6 MM), 1/4" (6.4 MM), 7/16" (11.5 MM), 23/32" (18.5 MM), 1/2" x 45° (12.7 MM).

SUB FOR: WABASH 5300059
FITS: WABASH 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL **WEIGHT:** 37.9 LBS / 17.2 Kg

Top view dimensions: 3-5/32" (80 MM), 4-7/8" (Ø124 MM), 2-1/2" (63.5 MM), 3" (76.2 MM), 8" (203.2 MM), 5-1/8" (130 MM), 3/16" (5 MM), 7-1/16" (179.1 MM), 4-27/32" (123 MM), 5/8" (16 MM), 2" (50.8 MM), 3" (76.2 MM), 6" (152.4 MM), 1-15/16" (49.3 MM).

Side view dimensions: 6" (152.4 MM), 3-15/16" (100 MM), 13/16" (20.4 MM), R25/32" (20 MM), 11/32" (9 MM), 4-21/32" (118 MM), R2-3/8" (60 MM), 3/8" (9.6 MM), 13/16" (20.4 MM).





SPECIAL ORDER ONLY **MODEL 6202-5026-E**

TOP INTERMEDIATE
w/ Pinlift Aperture, Weld Flanges
& 96-3/8"-wide Top Lift Aperture

SUB FOR: WABASH 10006314
FITS: HYUNDAI 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL **WEIGHT:** 32.25 LBS / 14.63 Kg

MODEL 6202-5028-E

TOP INTERMEDIATE
w/ Pinlift Aperture for
96-3/8"-wide Top Lift







SUB FOR: WABASH 5300054
FITS: WABASH 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL
WEIGHT: 35.3 LBS / 16 Kg

SPECIAL ORDER ONLY

MODEL 6202-5029-E







TOP INTERMEDIATE
Double ISO Aperture
w/ Pinlift Aperture



SUB FOR: HYUNDAI 10009739
FITS: 102-3/8"-WIDE CONTAINERS
MATERIAL: CAST STEEL
WEIGHT: 42 LBS / 19.05 Kg

SPECIAL ORDER ONLY **MODEL 6202-5031-E**





TOP INTERMEDIATE
for 96-3/8"-wide Top Lift



SUB FOR: STOUGHTON 04-21614
FITS: STOUGHTON 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL **WEIGHT:** 26.5 LBS / 12.02 Kg

SPECIAL ORDER ONLY **MODEL 6202-5032-C/D**

BOTTOM INTERMEDIATE
w/ Double Aperture



SUB FOR: STOUGHTON 04-18581
FITS: STOUGHTON 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL
WEIGHT: 34 LBS / 15.42 Kg







CORNER CASTINGS

FOR 102" WIDE
DOMCON CONTAINERS

SPECIAL ORDER ONLY

MODEL 6202-5035-E

TOP INTERMEDIATE
for 96-3/8"-wide Top Lift
& Pinlift w/ Weld Flanges



SUB FOR: CARLISLE 01-028A, HYUNDAI 10015490
FITS: HYUNDAI 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL
WEIGHT: 33.4 LBS / 15.15 Kg

BUFFERS USA INC

"The Intermodal Hardware Specialists"

6202-10







904-696-0010

E-mail: sales@buffersusa.com

10/17/24

MODEL 6202-5040-C/D






BOTTOM INTERMEDIATE
Double Aperture, non-handed



SUB FOR: STOUGHTON 04-22163 **FITS:** 102-3/8" CONTAINERS
MATERIAL: CAST STEEL **FINISH:** SELF-COLOR **WEIGHT:** 28.7 LBS / 13.02 Kg

MODEL 6202-5041-E







TOP INTERMEDIATE
w/ ISO standard 89" (c/c) Lift,
non-handed



SUB FOR: STOUGHTON 04-19115 **FITS:** 53" x 102-3/8" CONTAINERS w/ 89" (c/c) LIFT
MATERIAL: CAST STEEL **FINISH:** SELF-COLOR **WEIGHT:** 30.9 LBS / 14 Kg

MODEL 6202-5042-E






TOP INTERMEDIATE
for ISO Wide Top Lift,
non-handed



SUB FOR: STOUGHTON 04-22162
FITS: STOUGHTON 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL **WEIGHT:** 35.3 LBS / 16 Kg

MODEL 6202-5043-E

TOP INTERMEDIATE
for 96-3/8" (c/c) Wide Top Lift,
non-handed



SUB FOR: STOUGHTON 04-18778
FITS: STOUGHTON 53' x 102-3/8" CONTAINERS
MATERIAL: CAST STEEL **WEIGHT:** 25.5 LBS / 11.57 Kg







WELD FLANGE CASTING

FOR 102" WIDE
DOMCON CONTAINERS



MODEL 6202-6308

WELD FLANGE CASTING
for Stacking Post




SUB FOR: STOUGHTON 04-15370
FITS: STOUGHTON 102" CONTAINERS
MATERIAL: CAST STEEL
WEIGHT: 2.2 LBS / 0.9 Kg

MODEL 6202-7366




SUB FOR: PENZ 70-35, STOUGHTON SK-04946-000-00
FITS: STOUGHTON 53' CONTAINERS
MATERIAL: H.S. STEEL **FINISH:** PRIMER
WEIGHT: 2.35 LBS / 1.06 Kg


MODEL 6202-7367



SUB FOR: PENZ 70-36,
 STOUGHTON SK-05495-000-00
FITS: STOUGHTON
 53' CONTAINERS
MATERIAL: H.S. STEEL
FINISH: PRIMER
WEIGHT: 1.76 LBS / 0.8 Kg



MODEL 6202-7379



SUB FOR: PENZ 70-37
FITS: STOUGHTON
 53' CONTAINERS
MATERIAL: H.S. STEEL
FINISH: PRIMER
WEIGHT: 1.48 LBS / 0.67 Kg

